

## Publikationen von Peter Comba

1. Comba, P.; Marty, W.  
*Helv. Chim. Acta* **1980**, *63*, 693. DOI: [10.1002/hlca.19800630319](https://doi.org/10.1002/hlca.19800630319)  
'Complete racemisation in the base hydrolysis of optically active mer-chloro(diethylenetriamine)(1,3-diaminopropane-2-ol-N,N') cobalt(III) tetrachlorozinate.'
2. Comba, P.  
*Thèse de doctorat, Université de Neuchâtel* **1981**.  
'Synthetic studies and mechanistic investigations of base catalyzed substitution on some new cobalt(III) complexes.'
3. Gainsford, G. J.; House, D. A.; Marty, W.; Comba, P.  
*Cryst. Struct. Commun.* **1982**, *11*, 215.  
' $\Delta\Lambda$ -abc,def-(1,5-diamino-3-azapentane,N,N,N)(1,3-diaminopropane-2-ol,N,N,O)-cobalt(III) chloride tetrachlorozincate(II): C<sub>7</sub>H<sub>23</sub>Cl<sub>5</sub>CoN<sub>5</sub>OZn.'
4. Jackson, W. G.; Hookey, M. L.; Randall, M. L.; Comba, P.; Sargeson, A. M.  
*Inorg. Chem.* **1984**, *23*, 2473. DOI: [10.1021/ic00184a022](https://doi.org/10.1021/ic00184a022)  
'Base hydrolysis of anionopentaaminocobalt(III) complexes - The role of ion-association, and the question of a common coordinatively unsaturated intermediate.'
5. Comba, P.; Sargeson, A. M.  
*J. Chem. Soc., Chem. Commun.* **1985**, 51.  
'Is the E2 mechanism required to explain base hydrolysis of cobalt(III) amine complexes in the limit of general base catalysis?' DOI: [10.1039/c39850000051](https://doi.org/10.1039/c39850000051)
6. Comba, P.; Mau, A. W. H.; Sargeson, A. M.  
*J. Phys. Chem.* **1985**, *89*, 394. DOI: [10.1021/j100249a003](https://doi.org/10.1021/j100249a003)  
'The excited state decay of the macrobicyclic hexaamine chromium(III) cage complexes Cr(III)sar<sup>3+</sup> and Cr(III)diamsar<sup>3+</sup>.'
7. Comba, P.; Engelhardt, L. M.; Harrowfield, J. MacB.; Lawrance, G. A.; Martin, L. L.; Sargeson, A. M.; White, A. H.  
*J. Chem. Soc., Chem. Commun.* **1985**, 174. DOI: [10.1039/c39850000174](https://doi.org/10.1039/c39850000174)  
'Synthesis and characterisation of a stable hexaamine vanadium(IV) cage complex.'
8. Comba, P.; Engelhardt, L. M.; Harrowfield, J. MacB.; Horn, E.; Sargeson, A. M., Snow, M. R.; White, A. H.  
*Inorg. Chem.* **1985**, *24*, 2325. DOI: [10.1021/ic00209a001](https://doi.org/10.1021/ic00209a001)  
'Analysis of trigonal prismatic and octahedral preferences in hexaamine cage complexes.'
9. Comba, P.; Hambley, T. W.; Lawrance, G. A.  
*Helv. Chim. Acta* **1985**, *68*, 2332. DOI: [10.1002/hlca.19850680828](https://doi.org/10.1002/hlca.19850680828)  
'Template synthesis, crystal structure and spectroscopic characterization of [N,N'-bis(2-pyridylmethylene)-1,3-diamino-2-methyl-2-nitropropane] copper(II) perchlorate.'
10. Comba, P.; Creaser, I. I.; Gahan, L. R.; Harrowfield, J. MacB.; Lawrance, G. A.; Martin, L. L.; Mau, A. W. H.; Sargeson, A. M.; Sasse, W. H. F.; Snow, M. R.  
*Inorg. Chem.* **1986**, *25*, 384. DOI: [10.1021/ic00223a033](https://doi.org/10.1021/ic00223a033)  
'Macrobicyclic chromium(III) hexaamine complexes.'

11. Comba, P.; Sargeson, A. M.  
*Aust. J. Chem.* **1986**, *39*, 1029.  
'EPR spectroscopy of a trigonal prismatic vanadium cage complex: [1,8-diammonio-3,6,10,13,16,19-hexaazabicyclo-[6.6.6]icosanato(3,6)vanadium(IV)](4+).'
12. Lawrance, G. A.; Skelton, B. W.; White, A. H.; Comba, P.  
*Aust. J. Chem.* **1986**, *39*, 1101.  
'An unusual cleavage and macrocyclization in the zinc-aqueous acid reduction of [2-methyl-2-nitro-N,N'-bis(pyridin-2-ylmethyl)-propane-1,3-diamine]copper(II) cation. Crystal structure of the (6,13-diamino-6,13-dimethyl-1,4,8,11-tetraazacyclo-tetradecane)copper(II) perchlorate product.'
13. Comba, P.; Curtis, N. J.; Jackson, W. G.; Sargeson, A. M.  
*Aust. J. Chem.* **1986**, *39*, 1297.  
'Synthesis and substitution stereochemistry of trans-chloro(trifluoromethane-sulfonato)bis(ethylenediamine)cobalt(III) trifluoromethanesulfonate.'
14. Comba, P.; Sargeson, A. M.  
*Phosphorus and Sulfur* **1986**, *28*, 137. [DOI: 10.1080/03086648608072803](https://doi.org/10.1080/03086648608072803)  
'Electronic and ligand structure dictated effects for trigonal and rhombic symmetries of transition metal cage complexes.'
15. Comba, P.; Curtis, N. F.; Lawrance, G. A.; Sargeson, A. M.; Skelton, B. W.; White, A. H.  
*Inorg. Chem.* **1986**, *25*, 4260. [DOI: 10.1021/ic00243a040](https://doi.org/10.1021/ic00243a040)  
'Template synthesis involving carbon acids. Synthesis and characterization of (3,10-dimethyl-3,10-dinitro-1,4,8,11-tetraazacyclotetradecane)copper(II) and (1,9-diamino-5-methyl-5-nitro-3,7-diazanonane)copper(II) cations and nitro group reduction products.'
16. Comba, P.; Merbach, A. E.  
*Inorg. Chem.* **1987**, *26*, 1315. [DOI: 10.1021/ic00255a024](https://doi.org/10.1021/ic00255a024)  
'The titanyl question revisited.'
17. Comba, P.; Curtis, N. F.; Lawrance, G. A.; O'Leary, M. A.; Skelton, B. W.; White, A. H.  
*J. Chem. Soc., Dalton Trans.* **1988**, 497. [DOI: 10.1039/dt9880000497](https://doi.org/10.1039/dt9880000497)  
'Synthesis of a thirteen-membered tetraazamacrocycle employing formaldehyde and nitroalkanes directed by metal ions. Crystal structures of (12-methyl-12-nitro-1,4,7,10-tetraazacyclotridecane)copper(II) perchlorate and  $\mu$ -chloro-1,1,1-trichloro-2-(12-methyl-12-nitro-1,4,7,10-tetraazacyclotridecane)copper(II).'
18. Comba, P.; Curtis, N. F.; Lawrance, G. A.; O'Leary, M. A.; Skelton, B. W.; White, A. H.  
*J. Chem. Soc., Dalton Trans.* **1988**, 2145. [DOI: 10.1039/dt9880002145](https://doi.org/10.1039/dt9880002145)  
'Comparison of thirteen- to sixteen-membered tetraazacyclo-alkane copper(II) complexes derived from template synthesis involving nitroethane and formaldehyde. Crystal structures of (10-methyl-10-nitro-1,4,8,12-tetraazacyclopentadecane)copper(II) and (3-methyl-3-nitro-1,5,9,13-tetraazacyclohexadecane)copper(II) perchlorate.'
19. Comba, P.; Helm, L.  
*Helv. Chim. Acta* **1988**, *71*, 1406. [DOI: 10.1002/hlca.19880710605](https://doi.org/10.1002/hlca.19880710605)  
'Solution structure and reactivity of decavanadate.'
20. Comba, P.; Lawrance, G. A.; Rossignoli, M.; Skelton, B. W.; White, A. H.  
*Aust. J. Chem.* **1988**, *41*, 773. [DOI: 10.1071/CH9880773](https://doi.org/10.1071/CH9880773)  
'Synthesis of a cis-N<sub>2</sub>S<sub>2</sub> donor macrocycle by metal-directed condensation of formaldehyde, nitroethane and a diaminodithiaalkane. Crystal structure of the (6-methyl-6-nitro-1,11-dithia-4,8-diazacyclotetradecane)copper(II)perchlorate product.'

21. Comba, P.; Hambley, T. W.; Zipper, L.  
*Helv. Chim. Acta* **1988**, *71*, 1875. DOI: [10.1002/hlca.19880710805](https://doi.org/10.1002/hlca.19880710805)  
'Energy minimized structures and calculated and experimental isomer distributions in the cobalt(III) hexaamine system  $\text{Co}(\text{trap})_2^{3+}$  (trap = 1,2,3-propanetriamine).'
22. Comba, P.  
*Inorg. Chem.* **1989**, *28*, 426. DOI: [10.1021/ic00302a012](https://doi.org/10.1021/ic00302a012)  
'Coordination geometries for hexaamine cage complexes.'
23. Comba, P.; Maeder, M.; Zipper, L.  
*Helv. Chim. Acta* **1989**, *72*, 1029. DOI: [10.1002/hlca.19890720520](https://doi.org/10.1002/hlca.19890720520)  
'Energy minimized structures and calculated and experimental isomer distributions in the cobalt(III) hexaamine system  $\text{CoL}_2^{3+}$  with the chiral facially coordinating triamine L = 1,2,4-butanetriamine.'
24. Comba, P.; Lawrance, G. A.; Manning, T. M.; Markiewicz, A.; Murray, K. S.; O'Leary, M. A.; Skelton, B. W.; White, A. H.  
*Aust. J. Chem.* **1990**, *43*, 69.  
'Synthesis, crystal structure and magnetism of a macrocyclic binuclear dicopper(II) amino alcohol complex from a metal-directed reaction involving formaldehyde and nitroethane.'
25. Comba, P.; Hörmann, A.; Martin, L. L.; Zipper, L.  
*Helv. Chim. Acta* **1990**, *73*, 874. DOI: [10.1002/hlca.19900730413](https://doi.org/10.1002/hlca.19900730413)  
'Stereoselective coordination to chiral matrices. Cobalt(III) chemistry of simple facially coordinating chiral triamines.'
26. Bernhardt, P. V.; Comba, P.; Curtis, N. F.; Hambley, T. W.; Lawrance, G. A.; Maeder, M.; Siriwardena, A.  
*Inorg. Chem.* **1990**, *29*, 3208. DOI: [10.1021/ic00342a031](https://doi.org/10.1021/ic00342a031)  
'Coordination of the 'pendant-arm' macrocycle 6,13-diamine-6,13-dimethyl-1,4,8,11-tetraazacyclotetradecane to chromium(III). Crystal structure and physical properties of the hexacoordinated complex ion.'
27. Bernhardt, P. V.; Comba, P.; Hambley, T. W.; Lawrance, G. A.; Martin, L. L.  
*J. Chem. Soc., Dalton Trans.* **1990**, 2859. DOI: [10.1039/dt9900002859](https://doi.org/10.1039/dt9900002859)  
'Synthesis, physical properties and X-ray crystal structure of an oxovanadium(IV) complex of the pendant-arm macrocycle 6,13-dimethyl-1,4,8,11-tetraazacyclotetradecane-6,13-diamine.'
28. Bernhardt, P. V.; Comba, P.; Gahan, L. R.; Lawrance, G. A.  
*Aust. J. Chem.* **1990**, *43*, 2035. DOI: [10.1071/CH9902035](https://doi.org/10.1071/CH9902035)  
'Dicopper(II) complexes of spiro-macrobicycles with aza and thia-aza donor sets.'
29. Comba P.; Hambley, T. W.; Lawrance, G. A.; Martin, L. L.; Renold, P.; Várnagy, K.  
*J. Chem. Soc., Dalton Trans.* **1991**, 277. DOI: [10.1039/dt9910000277](https://doi.org/10.1039/dt9910000277)  
'Template syntheses of chiral tetradentate ligands derived from L-amino acids. Characterization of their copper(II) complexes.'
30. Bernhardt, P. V.; Comba, P.; Hambley, T. W.; Lawrance, G. A.  
*Inorg. Chem.* **1991**, *30*, 942. DOI: [10.1021/ic00005a013](https://doi.org/10.1021/ic00005a013)  
'Coordination of the sexidentate macrocycle 6,13-dimethyl-1,4,8,11-tetraazacyclotetradecane-6,13-diamine to iron(III).'
31. Stratemeier, H.; Hitchman, M. A.; Comba, P.; Bernhardt, P. V.; Riley, M. J.  
*Inorg. Chem.* **1991**, *30*, 4088. DOI: [10.1021/ic00021a023](https://doi.org/10.1021/ic00021a023)  
'EPR spectrum and metal-ligand bonding parameters of a low-spin (hexaamine)iron(III) complex.'

32. Bernhardt, P. V.; Comba, P.  
*Helv. Chim. Acta* **1991**, *74*, 1834; **1992**, *75*, 645. DOI: [10.1002/hlca.19910740826](https://doi.org/10.1002/hlca.19910740826)  
'A molecular mechanics analysis of complexes of the sexidentate macrocycles cis- and trans-6,13-dimethyl-1,4,8,11-tetraazacyclotetradecane-6,13-diamine.'
33. Comba, P.  
*Habilitation, Universität Basel* **1992**  
'Design und Synthese von Übergangsmetallkomplexen.'
34. Bernhardt, P. V.; Comba, P.; Hambley, T. W.; Lawrance, G. A.; Várnagy, K.  
*J. Chem. Soc., Dalton Trans.* **1992**, 355. DOI: [10.1039/dt9920000355](https://doi.org/10.1039/dt9920000355)  
'Isolation and complexation of the cis-isomer of the pendant arm macrocycle 6,13-dimethyl-1,4,8,11-tetraazacyclotetradecane-6,13-diamine.'
35. Bernhardt, P. V.; Comba, P.; Hambley, T. W.; Martin, L. L.; Várnagy, K.; Zipper, L.  
*Helv. Chim. Acta* **1992**, *75*, 145. DOI: [10.1002/hlca.19920750111](https://doi.org/10.1002/hlca.19920750111)  
'Chiral tetraamines based on (S)-2-(aminomethyl)pyrrolidine: Template synthesis and properties of copper(II) complexes.'
36. Bernhardt, P. V.; Comba, P.; Gyr, T.; Várnagy, K.  
*Inorg. Chem.* **1992**, *31*, 1220. DOI: [10.1021/ic00033a018](https://doi.org/10.1021/ic00033a018)  
'Predictions and methods of separation of racemic bidentate ligands via stereoselective ligand exchange reactions.'
37. Bernhardt, P. V.; Comba, P.  
*Inorg. Chem.* **1992**, *31*, 2638. DOI: [10.1021/ic00038a060](https://doi.org/10.1021/ic00038a060)  
'Molecular mechanics calculations of transition metal complexes.'
38. Bernhardt, P. V.; Comba, P.; Hambley, T. W.; Massoud, S. S.; Stebler, S.  
*Inorg. Chem.* **1992**, *31*, 2644. DOI: [10.1021/ic00038a061](https://doi.org/10.1021/ic00038a061)  
'Determination of solution structures of binuclear copper(II) complexes.'
39. Comba, P.; House, D. A.; Jackson, W. G.; Marty, W.; Stoeckli-Evans, H.; Zipper, L.  
*Helv. Chim. Acta* **1992**, *75*, 1130. DOI: [10.1002/hlca.19920750416](https://doi.org/10.1002/hlca.19920750416)  
'Base hydrolysis of cobalt(III) pentaamine complexes - The [Co(dien)(dapo)X]<sup>n+</sup> system. I. Syntheses, structures, configuration and spectroscopy.'
40. Comba, P.; Jackson, W. G.; Marty, W.; Zipper, L.  
*Helv. Chim. Acta* **1992**, *75*, 1147. DOI: [10.1002/hlca.19920750417](https://doi.org/10.1002/hlca.19920750417)  
'Base hydrolysis of cobalt(III) pentaamine complexes - The [Co(dien)(dapo)X]<sup>n+</sup> system. II. Structure and reactivity of the pentacoordinate intermediate.'
41. Comba, P.; Jackson, W. G.; Marty, W.; Zipper, L.  
*Helv. Chim. Acta* **1992**, *75*, 1172. DOI: [10.1002/hlca.19920750418](https://doi.org/10.1002/hlca.19920750418)  
'Base hydrolysis of cobalt(III) pentaamine complexes - The [Co(dien)(dapo)X]<sup>n+</sup> system. III. The internal conjugate base mechanism.'
42. Bernhardt, P. V.; Comba, P.; Mahu-Rickenbach, A.; Stebler, S.; Steiner, S.; Várnagy, K.; Zehnder, M.  
*Inorg. Chem.* **1992**, *31*, 4194. DOI: [10.1021/ic00046a038](https://doi.org/10.1021/ic00046a038)  
'Transition-metal complexes of the novel tridentate di-(2-pyridyl)methanamine (dipa).'
43. Comba, P.  
*Coord. Chem. Rev.* **1993**, *123*, 1. DOI: [10.1016/0010-8545\(93\)85051-5](https://doi.org/10.1016/0010-8545(93)85051-5)  
'The relation between ligand structure, coordination stereochemistry and electronic and thermodynamic properties.'

44. Bernhardt, P. V.; Comba, P.  
*J. Chem. Soc., Chem. Commun.*, **1993**, 113. [DOI: 10.1039/c39930000113](https://doi.org/10.1039/c39930000113)  
'Formation of exocyclic olefinic groups via stereoselective nitrosations: A new route toward pendant arm macrocyclic ligands.'
45. Balla, J.; Bernhardt, P. V.; Buglyo, P.; Comba, P.; Hambley, T.W.; Schmidlin, R.; Stebler, S.; Várnagy, K.  
*J. Chem. Soc., Dalton Trans.* **1993**, 1143. [DOI: 10.1039/dt9930001143](https://doi.org/10.1039/dt9930001143)  
'Chiral quadridentate ligand based on amino acids: Template syntheses, and properties of the free ligands and their transition-metal complexes.'
46. Bernhardt, P. V.; Comba, P.  
*Inorg. Chem.* **1993**, 32, 2798. [DOI: 10.1021/ic00065a003](https://doi.org/10.1021/ic00065a003)  
'Prediction and interpretation of electronic spectra of transition metal complexes via the combination of molecular mechanics and angular overlap model calculations.'
47. Bernhardt, P. V.; Comba, P.; Hambley, T. W.  
*Inorg. Chem.* **1993**, 32, 2804. [DOI: 10.1021/ic00065a004](https://doi.org/10.1021/ic00065a004)  
'Complexation of cis-6,13-dimethyl-1,4,8,11-tetraazacyclotetradecane-6,13-diamine with the first row transition metal ions cobalt(III), chromium(III) and nickel(II).'
48. Bernhardt, P. V.; Comba, P.; Hambley, T. W.; Sóvágó, I.; Várnagy, K.  
*J. Chem. Soc., Dalton Trans.* **1993**, 2023. [DOI: 10.1039/dt9930002023](https://doi.org/10.1039/dt9930002023)  
'Resolution of racemic amino acids via stereoselective ligand-exchange reactions on an optically pure nickel(II) complex.'
49. Comba, P.  
*Chimia (Special Issue Silvio Fallab)* **1993**, 47, 309.  
'Anwendungen von molekularem Modellieren in der Koordinationschemie.'
50. Bernhardt, P. V.; Comba, P.; Mitchell, C. M.  
"The Chemistry of the Copper and Zinc Triads"  
in: *The Royal Society of Chemistry* **1993**, 110.  
'Stereoselective nitrosations of pendent amine substituted macrocyclic copper(II) complexes.'
51. Comba, P.  
*Comm. Inorg. Chem.* **1994**, 16, 133.  
'Solution structures of coordination compounds.'
52. Comba, P.; Jakob, H.; Keppler, B. K.; Nuber, B.,  
*Inorg. Chem.* **1994**, 33, 3396. [DOI: 10.1021/ic00093a031](https://doi.org/10.1021/ic00093a031)  
'Solution structures and isomer distributions of bis( $\beta$ -diketonato) complexes of titanium(IV) and cobalt(III).'
53. Bernhardt, P. V.; Comba, P.; Elliot, B. L.; Lawrance, G. A.; Maeder, M.; O'Leary, M. A.; Wei, G.; Wilkes, E. N.  
*Aust. J. Chem.* **1994**, 47, 1171.  
'Metal-directed synthesis of a macrocyclic tetraamine with pendant nitro or amine groups based on trans-cyclohexane-1,2-diamine.'
54. Comba, P.  
*Inorg. Chem.* **1994**, 33, 4577. [DOI: 10.1021/ic00098a027](https://doi.org/10.1021/ic00098a027)  
'Prediction and interpretation of EPR spectra of low spin iron(III) complexes with the MM-AOM method.'
55. Comba, P.; Zimmer, M.  
*Inorg. Chem.*, **1994**, 33, 5368. [DOI: 10.1021/ic00102a001](https://doi.org/10.1021/ic00102a001)  
'Molecular mechanics and the Jahn-Teller effect.'

56. Comba, P.; Hambley, T. W.; Hitchman, M. A.; Stratemeier, H.  
*Inorg. Chem.*, **1995**, *34*, 3903. [DOI: 10.1021/ic00119a011](https://doi.org/10.1021/ic00119a011)  
'Interpretation of electronic and EPR spectra of copper(II)amine complexes - A test of the MM-AOM Method'.
57. Comba, P.; Fath, A.; Hambley, T.W.; Richens, D.T.  
*Angew. Chem.*, **1995**, *107*, 2047, *Angew. Chem. Int. Ed.* **1995**, *34*, 1883.  
[DOI: 10.1002/anie.199518831](https://doi.org/10.1002/anie.199518831)  
'Double helical dinuclear dicopper(I) complexes of macrocyclic bis-dithiadiimine ligands'.
58. Comba, P.; Hambley, T. W.  
'Molecular modeling of inorganic compounds'. VCH, Weinheim, **1995**
59. Comba, P.; Hambley, T. W.; Okon, N.  
'MOMEC, a molecular modeling package for inorganic compounds'  
Altenhoff & Schmitz, Dortmund, **1995**.
60. Comba, P.; Hilfenhaus, P.  
*J. Chem. Soc., Dalton Trans.*, **1995**, 3269. [DOI: 10.1039/dt9950003269](https://doi.org/10.1039/dt9950003269)  
'One step template synthesis and solution structures of bis(macrocyclic) octaamine dicopper(II) complexes.'
61. Comba, P.; Hambley, T. W.; Ströhle, M.  
*Helv. Chim. Acta*, **1995**, *78*, 2042. [DOI: 10.1002/hlca.19950780812](https://doi.org/10.1002/hlca.19950780812)  
'The directionality of d-orbitals and molecular mechanics calculations of octahedral transition metal compounds. '
62. Comba, P.; Hambley, T.W.; Hilfenhaus, P.; Richens, D.T.  
*J. Chem. Soc., Dalton Trans.*, **1996**, 533. [DOI: 10.1039/dt9960000533](https://doi.org/10.1039/dt9960000533)  
'Solid state and solution structures of two structurally related dicopper complexes with markedly different redox properties.'
63. Comba, P.  
In: 'Fundamental Principles of Molecular Modeling',  
Gans W.; Amann, A; Boeyens, J. C. A.Eds, Plenum Press, New York, **1996**, 167.  
'Modeling of structural and spectroscopic properties of transition metal compounds.'
64. Comba, P.; Zimmer, M.  
*J. Chem. Educ.* **1996**, *73*, 108.  
'Inorganic molecular mechanics'.
65. Comba, P.; Fath, A.; Huttner, G.; Zsolnai, L.  
*J. Chem. Soc., Chem. Commun.* **1996**, 1885. [DOI: 10.1039/cc9960001885](https://doi.org/10.1039/cc9960001885)  
'Helical transition metal compounds: The preorganization of the ligands by paracyclophane groups'.
66. Comba, P.; Nuber, B.; Ramlow, A.  
*J. Chem. Soc., Dalton Trans.* **1997**, 347-352.  
[DOI: 10.1039/a603635j](https://doi.org/10.1039/a603635j)  
'The design of a new type of very rigid tetradentate ligand.'
67. Comba, P.  
*Nachr. Chem. Tech. Lab.* **1997**, *45*, 123.  
'Trends: Anorganische Chemie (Koordinationschemie)'
68. Comba, P.; Fath, A.; Hambley, T. W.; Vielfort, A.  
*J. Chem. Soc., Dalton Trans.* **1997**, 1691. [DOI: 10.1039/a607420k](https://doi.org/10.1039/a607420k)  
'Two different types of folding of isomeric macrocycles induced by metal ion coordination'.

69. Comba, P.; Fath, A.; Kühner, A.; Nuber, B.  
*J. Chem. Soc., Dalton Trans.* **1997**, 1889. DOI: [10.1039/a607859a](https://doi.org/10.1039/a607859a)  
'Preorganization of tetrathiamacrocyclic ligands: implications from computed and experimentally determined structures.'
70. Comba, P.; Hilfenhaus, P.; Karlin, K. D.  
*Inorg. Chem.* **1997**, *36*, 2309. DOI: [10.1021/ic961317w](https://doi.org/10.1021/ic961317w)  
'Modeling of end-on  $\mu$ -peroxo dicopper(II) complexes.'
71. Comba, P.; Sickmüller, A. F.  
*Angew. Chem.* **1997**, *109*, 2089; *Angew. Chem. Int. Ed.* **1997**, *36*, 2006.  
DOI: [10.1002/anie.199720061](https://doi.org/10.1002/anie.199720061)  
'Solution structures of a pair of stable cobalt(III) hexaamine conformers.'
72. Comba, P.; Sickmüller, A. F.  
*Inorg. Chem.* **1997**, *36*, 4500-4507. DOI: [10.1021/IC9701625](https://doi.org/10.1021/IC9701625)  
'Modeling of the redox properties of hexaaminocobalt(III/II) couples.'
73. Comba, P.; Hilfenhaus, P.; Nuber, B.  
*Helv. Chim. Acta* **1997**, *80*, 1831. DOI: [10.1002/hlca.19970800607](https://doi.org/10.1002/hlca.19970800607)  
'The structure of an isomeric pair of a (tetraamine)copper(II) compound in the solid state and in solution.'
74. Comba, P.; Jakob, H.  
*Helv. Chim. Acta* **1997**, *80*, 1983. DOI: [10.1002/hlca.19970800616](https://doi.org/10.1002/hlca.19970800616)  
'Reduction potentials of tetraaminocopper(II/I) couples'
75. Comba, P.; Hambley, T. W.; Lauer, G.; Okon, N.  
'MOMEC97, a molecular modeling package for inorganic compounds'  
University of Heidelberg, [www.comba-group.uni-hd.de](http://www.comba-group.uni-hd.de) **1997**.
76. Banci, L.; Comba, P. (Eds)  
'Molecular modeling and dynamics of bioinorganic compounds', Kluwer Academic Publishers, Dordrecht, Boston, London **1997**.
77. Comba, P.  
in 'Molecular modeling and dynamics of bioinorganic compounds', Banci, L.; Comba, P. (Eds), Kluwer Academic Publishers, Dordrecht, Boston, London **1997**, p. 21.  
'Modeling of structures and molecular properties of transition metal compounds - toward metalloprotein modeling.'
78. Comba, P.; Fath, A.; Nuber, B.; Peters, A.  
*J. Org. Chem.* **1997**, *62*, 8459. DOI: [10.1021/jo971246y](https://doi.org/10.1021/jo971246y)  
'Novel ring contraction reaction for the synthesis of functionalized tetrathiamacrocyclic ligand molecules.'
79. Grutke, S.; Comba, P.; Katsichtis, C.  
*Patent WO 9740100 A1 (1997-04-17)*  
'Oxidation-stabilized polyamide molding compositions.'
80. Bol, J. E.; Buning, C.; Comba, P.; Reedijk, J.; Ströhle, M.  
*J. Comput. Chem.* **1998**, *19*, 512. DOI: [10.1002/\(SICI\)1096-987X\(19980415\)19:5<512::AID-JCC4>3.0.CO;2-P](https://doi.org/10.1002/(SICI)1096-987X(19980415)19:5<512::AID-JCC4>3.0.CO;2-P)  
'Molecular mechanics modeling of the organic backbone of metal-free and coordinated ligands.'
81. Comba, P.; Gloe, K.; Inoue, K.; Krueger, T.; Stephan, H.; Yoshizuka, K.  
*Inorg. Chem.* **1998**, *37*, 3310. DOI: [10.1021/ic970673r](https://doi.org/10.1021/ic970673r)  
'Molecular mechanics calculations and the metal ion selective extraction of lanthanoid ions.'

82. Börzel, H.; Comba, P.; Pritzkow, H.; Sickmüller, A.  
*Inorg. Chem.* **1998**, *37*, 3853. DOI: [10.1021/ic971552u](https://doi.org/10.1021/ic971552u)  
'Preparation, structure and electronic properties of a low spin iron(II) hexaaminecompound.'
83. Brudenell, S. J.; Bond, A. M.; Spiccia, L.; Comba, P.; Hockless, D. C. R.  
*Inorg. Chem.* **1998**, *37*, 3705. DOI: [10.1021/ic971634j](https://doi.org/10.1021/ic971634j)  
'Structural, EPR and electrochemical studies of binuclear copper(II) complexes of bis(pentadentate) ligands derived from bis(1,4,7-triazacyclononane) macrocycles.'
84. Comba, P.; Fath, A.; Hambley, T. W.; Kühner, A.; Richens, D. T.; Vielfort, A.  
*Inorg. Chem.* **1998**, *37*, 4389. DOI: [10.1021/ic980216q](https://doi.org/10.1021/ic980216q)  
'Helical figure-of-eight-loop dicopper(I) compounds: Syntheses, structures and dynamics.'
85. Comba, P.  
In: 'Intermolecular Interactions', Gans W.; Boeyens, J. C. A. Eds, Plenum Press, New York, **1998**, p. 97.  
'The importance of intra- and intermolecular weak bonds in transition metal coordination compounds.'
86. Comba, P.; Goll, W.; Nuber, B.; Várnágy, K.  
*Eur. J. Inorg. Chem.* **1998**, 2041.  
'Transition metal coordination compounds of bisamidobispyridyl ligands.'
87. Comba, P.; Cusack, R.; Fairlie, D. P.; Gahan, L. R.; Hanson, G. R.; Kazmaier, U.; Ramlow, A.  
*Inorg. Chem.* **1998**, *37*, 6721. DOI: [10.1021/ic9809299](https://doi.org/10.1021/ic9809299)  
'The solution structure of a copper(II) compound of a new cyclic octapeptide by EPR spectroscopy and force field calculations.'
88. Comba, P.; Kanellakopulos, B.; Katsichtis, C.; Lienke, A.; Pritzkow, H.; Rominger, F.  
*J. Chem. Soc., Dalton Trans.* **1998**, 3997-4002. DOI: [10.1039/a805944f](https://doi.org/10.1039/a805944f)  
'Synthesis and characterisation of manganese(II) compounds with tetradentate ligands based on the bispidine backbone.'
89. Comba, P.  
*Coord. Chem. Rev.* **1999**, *182*, 343-371. DOI: [10.1016/S0010-8545\(98\)00199-4](https://doi.org/10.1016/S0010-8545(98)00199-4)  
'Strains and stresses in coordination compounds.'
90. Comba, P.; Kühner, A.  
*Eur. J. Inorg. Chem.* **1999**, 509.  
'Isomerism in copper(I)-induced folding of homoditopic macrocyclic ligands with bis(dithiadiimine) donor sets.'
91. Comba, P.; Kühner, A.; Peters, A.  
*J. Chem. Soc., Dalton Trans.* **1999**, 509. DOI: [10.1039/a806075d](https://doi.org/10.1039/a806075d)  
'The figure-of-eight twist to macrocycles: pre-organization, self-organization and dynamics.'
92. Comba, P.; Gavrish, S. P.; Hay, R. W.; Hilfenhaus, P.; Lampeka, Y. D.; Lightfoot, P.; Peters, A.  
*Inorg. Chem.* **1999**, *38*, 1416. DOI: [10.1021/ic9807184](https://doi.org/10.1021/ic9807184)  
'Structural variation of dinuclear transition metal compounds with a common type of ligand: Solid state and solution structures and model studies.'
93. Comba, P.  
*Coord. Chem. Rev.* **1999**, *185*, 81. DOI: [10.1016/S0010-8545\(98\)00249-5](https://doi.org/10.1016/S0010-8545(98)00249-5)  
'Metal ion selectivity and molecular modeling.'



94. Comba, P.; Katsichtis, C.; Nuber, B.; Pritzkow, H.  
*Eur. J. Inorg. Chem.* **1999**, 777.  
'Solid state and solution structural properties of copper(I) compounds with bidentate phosphane ligands.'
95. Comba, P.; Okon, N.; Remenyi, R.  
*J. Comput. Chem.* **1999**, 20, 781. DOI: [10.1002/\(SICI\)1096-987X\(199906\)20:8<781::AID-JCC4>3.0.CO;2-T](https://doi.org/10.1002/(SICI)1096-987X(199906)20:8<781::AID-JCC4>3.0.CO;2-T)  
'Computation of cavity shapes, sizes and plasticities.'
96. Börzel, H.; Comba, P.; Katsichtis, C.; Kiefer, W.; Lienke, A.; Nagel, V.; Pritzkow, H.  
*Chem. Eur. J.* **1999**, 5, 1716.  
'Stabilization of copper dioxygen compounds: design, synthesis and characterization.'
97. Comba, P.  
In: 'Implications of Molecular and Materials Structure for New Technologies', Howard, J. A. K.; Allen, F. Eds., Kluwer Academic Publishers, Dordrecht, Boston, London **1999**, p. 71.  
'Molecular mechanics modeling of transition metal compounds.'
98. Comba, P.  
In: 'Implications of Molecular and Materials Structure for New Technologies', Howard, J. A. K.; Allen, F. Eds., Kluwer Academic Publishers, Dordrecht, Boston, London **1999**, p. 87.  
'Modeling structural, spectroscopic and redox properties of transition metal compounds.'
99. Comba, P.; Ensling, J.; Gütllich, P.; Kühner, A.; Peters, A.; Pritzkow, H.  
*Inorg. Chem.* **1999**, 38, 3316. DOI: [10.1021/ic981389i](https://doi.org/10.1021/ic981389i)  
'Bis-macrocyclic ligands with two ferrocenyl end-groups and their tetranuclear dicopper(I) compounds.'
100. Comba, P.; Gyr, T.  
*Eur. J. Inorg. Chem.* **1999**, 1787.  
'A simple new structural force field for the computation of linear metallocenes.'
101. Bartol, J.; Comba, P.; Melter, M.; Zimmer, M.  
*J. Comput. Chem.* **1999**, 20, 1549.  
'Conformational searching of transition metal compounds.'
102. Comba, P.; Gavrish, S. P.; Lampeka, Y. D.; Lightfoot, P.; Peters, A.  
*J. Chem. Soc., Dalton Trans.* **1999**, 22, 4099. DOI: [10.1039/a905437e](https://doi.org/10.1039/a905437e)  
'Dimerization of a copper(II) compound with a tetradentate diaminodiamide ligand.'
103. Börzel, H.; Comba, P.; Hagen, K. S.; Katsichtis, C.; Pritzkow, H.  
*Chem. Eur. J.* **2000**, 6, 914.  
'A copper(I) oxygenation precursor in the entatic state: Two isomers of a copper(I) compound of a rigid tetradentate ligand.'
104. Buning, C.; Canters, G. W.; Comba, P.; Dennison, C.; Jeuken, L.; Melter, M.; Sanders-Loehr, J.  
*J. Am. Chem. Soc.* **2000**, 122, 204. DOI: [10.1021/ja992796b](https://doi.org/10.1021/ja992796b)  
'Loop-directed mutagenesis of the blue copper protein amicyanin from *Paracoccus versutus* and its effect on the structure and activity of the type 1 copper site.'
105. Comba, P.  
In: Chemistry at the Beginning of the Third Millenium, Fabbrizzi, L., Ed, Springer, Heidelberg, **2000**, 49.  
'Enforced coordination geometries - Preorganization, catalysis and beyond.'

106. Buning, C.; Comba, P.  
*Eur. J. Inorg. Chem.* **2000**, 1267.  
'Protonation of the copper(I)-form in the blue copper proteins plastocyanin and amicyanin - a molecular dynamics study.'
107. Yoshizuka, K.; Inoue, K.; Ohto, K.; Gloe, K.; Stephan, H.; Rambusch, T.; Comba, P.  
*Solvent Extraction for the 21<sup>st</sup> Century*, Cox, M.; Hidalgo, M.; Valiente, M., Eds., Vol. 1, SCI, London **2000**, 687.  
'QSPR of extractability trends of the lanthanoid series using novel molecular mechanics calculations.'
108. Yoshizuka, K.; Inoue, K.; Comba, P.  
*Kagaku Kogaku Ronbunshu* **2000**, 26, 517.  
'Quantitative structure-property relationship of extraction equilibria of lanthanoid series using molecular mechanics calculations.'
109. Comba, P.  
*Coord. Chem. Rev.* **2000**, 200-202, 217-225. [DOI: 10.1016/S0010-8545\(00\)00265-4](https://doi.org/10.1016/S0010-8545(00)00265-4)  
'Coordination compounds in the entatic state.'
110. Comba, P.; Hambley, T. W.  
'Molecular modeling of inorganic compounds'. 2<sup>nd</sup> Edition with a Tutorial, based on MOMECLite, Wiley-VCH, Weinheim, **2001**
111. Comba, P.; Hambley, T. W.; Okon, N.  
'MOMECLite, a molecular modeling package for inorganic compounds; Demo version' Lauer & Okon Chemische Verfahrens- & Softwareentwicklung, **2001**.
112. Remenyi, R.; Jeuken, L.; Comba, P.; Canters, G. W.  
*JBIC* **2001**, 6, 23. [DOI: 10.1007/s007750000178](https://doi.org/10.1007/s007750000178)  
'An amicyanin C-terminal loop mutant where the active site histidine donor cannot be protonated.'
113. Börzel, H.; Comba, P.; Pritzkow, H.  
*J. Chem. Soc., Chem. Commun.*, **2001**, 97. [DOI: 10.1039/b008714i](https://doi.org/10.1039/b008714i)  
'Structural studies on dicopper(II) compounds with catechol oxidase activity.'
114. Boeyens, J. C. A.; Comba, P.  
*Coord. Chem. Rev.* **2001**, 212, 3. [DOI: 10.1016/S0010-8545\(00\)00353-2](https://doi.org/10.1016/S0010-8545(00)00353-2)  
'Molecular Mechanics: Theoretical Basis, Scope, Limits and Basic Rules.'
115. Comba, P.; Luther, S. M.; Maas, O.; Pritzkow, H.; Vielfort, A.  
*Inorg. Chem.*, **2001**, 40, 2335. [DOI: 10.1021/ic000696x](https://doi.org/10.1021/ic000696x)  
'Template synthesis of a tetraazamacrocyclic ligand with two pendant pyridinyl groups: Properties of the isomers of the metal-free ligand and of their first-row transition metal compounds.'
116. Comba, P.; Pritzkow, H.; Schiek, W.  
*Angew. Chem.*, **2001**, 113, 2556; *Angew. Chem. Int. Ed.* **2001**, 40, 2465.  
[DOI: 10.1002/1521-3773\(20010702\)40:13<2465::AID-ANIE2465>3.0.CO;2-X](https://doi.org/10.1002/1521-3773(20010702)40:13<2465::AID-ANIE2465>3.0.CO;2-X)  
'A very rigid bis-bispidine tetraazamacrocycle and its unusual copper(II) complex.'
117. Comba, P.; Lampeka, Y. D.; Prikhodko, A. I.; Pritzkow, H.  
*Theor. Exp. Chem.*, **2001**, 37, 236.  
'A new receptor of aromatic carboxylates based on a tris(macrocyclic) complex of copper(II) which operates according to the molecular recognition principle.'

118. Comba, P.; Lienke, A.  
*Inorg. Chem.*, **2001**, *40*, 5206-5209. DOI: [10.1021/ic010200r](https://doi.org/10.1021/ic010200r)  
'Bispidine copper(II) compounds – effects of the rigid ligand backbone.'
119. Comba, P.; Lledós, A.; Maseras, F.; Remenyi, R.  
*Inorg. Chim. Acta (Special Issue Copper Chemistry)* **2001**, *324*, 21.  
DOI: [10.1016/S0020-1693\(01\)00497-2](https://doi.org/10.1016/S0020-1693(01)00497-2)  
'Hybrid quantum mechanics / molecular mechanics studies of the active site of the blue copper proteins amicyanin and rusticyanin.'
120. Comba, P.; Jurisic, P.; Lampeka, Y. D.; Peters, A.; Prikhod'ko, A. I.; Pritzkow, H.  
*Inorg. Chim. Acta (Special Issue Copper Chemistry)* **2001**, *324*, 99.  
DOI: [10.1016/S0020-1693\(01\)00562-X](https://doi.org/10.1016/S0020-1693(01)00562-X)  
'Axial bonds in copper(II) compounds.'
121. Buijs, W.; Comba, P.; Corneli, D.; Pritzkow, H.; Schickedanz, M.  
*Eur. J. Inorg. Chem.* **2001**, 3143.  
'The role of the apical donor in the decomposition of copper(II) benzoate under Dow-phenol conditions.'
122. Buijs, W.; Corneli, D.; Comba, P.  
*Eur. J. Inorg. Chem.* **2001**, 3151.  
'Catalytic dehalogenation of unsaturated heterocycles by copper(I) under Dow-phenol conditions.'
123. Buijs, W.; Comba, P.; Corneli, D.; Pritzkow, H.  
*J. Organomet. Chem.*, **2002**, *641*, 71. DOI: [10.1016/S0022-328X\(01\)01291-8](https://doi.org/10.1016/S0022-328X(01)01291-8)  
'Structural and mechanistic studies of the copper(II)-assisted ortho-hydroxylation of benzoates by trimethylamine N-oxide.'
124. Bernhardt, P. V.; Comba, P.; Fairlie, D. P.; Gahan, L. A.; Hanson, G. R.; Lötzbeyer, L.  
*Chem. Eur. J.*, **2002**, *8*, 1527. DOI: [10.1002/1521-3765\(20020402\)8:7<1527::AID-CHEM1527>3.3.CO;2-6](https://doi.org/10.1002/1521-3765(20020402)8:7<1527::AID-CHEM1527>3.3.CO;2-6)  
'Syntheses and structural properties of Patellamides A derivatives and their copper(II) compounds.'
125. Comba, P.; Lampeka, Y. D.; Nazarenko, A. Y.; Prikhod'ko, A. I.; Pritzkow, H.  
*Eur. J. Inorg. Chem.*, **2002**, 1464.  
'Interactions between copper(II) complexes of mono-, bis- and tris-macrocyclic ligands and inorganic or organic guests.'
126. Comba, P.; Remenyi, R.  
*J. Comput. Chem.*, **2002**, *23*, 697. DOI: [10.1002/jcc.10084](https://doi.org/10.1002/jcc.10084)  
'A new molecular mechanics force field for the oxidized form of blue copper proteins.'
127. Comba, P.; Lampeka, Y. D.; Nazarenko, A. Y.; Prikhod'ko, A. I.; Pritzkow, H.; Taraszewska, J.  
*Eur. J. Inorg. Chem.*, **2002**, 1871.  
'Cooperative effects in the binding of substrates to bis-macrocyclic ligand nickel(II) and nickel(III) complexes.'
128. Börzel, H.; Comba, P.; Hage, R.; Kerscher, M.; Lienke, A.; Merz, M.  
*Patent WO 0248301 A1 (2002-06-20)*  
*Patent US 2002/014900 (2002-10-17)*  
'Ligand and complex for catalytically bleaching a substrate.'

129. Börzel, H.; Comba, P.; Hagen, K. S.; Lampeka, Y. D.; Lienke, A.; Merz, M.; Pritzkow, H.; Tsymbal, L. V.  
*Inorg. Chim. Acta (Special Issue Karl Wieghardt)*, **2002**, 337, 407.  
[DOI:10.1016/S0020-1693\(02\)01100-3](https://doi.org/10.1016/S0020-1693(02)01100-3)  
'Iron coordination chemistry with tetra-, penta- and hexadentate bispidine-type ligands.'
130. Börzel, H.; Comba, P.; Hagen, K. S.; Kerscher, M.; Pritzkow, H.; Schatz, M.; Schindler, S.; Walter, O.  
*Inorg. Chem.*, **2002**, 41, 5440. [DOI: 10.1021/ic011114u](https://doi.org/10.1021/ic011114u)  
'Copper-bispidine coordination chemistry: Syntheses, structures, solution properties and oxygenation reactivity.'
131. Comba, P.; Kerscher, M.; Merz, M.; Müller, V.; Pritzkow, H.; Remenyi, R.; Schiek, W.; Xiong, Y.  
*Chem. Eur. J.*, **2002**, 8, 5750-5760.  
[DOI:10.1002/1521-3765\(20021216\)8:24;5750::AID-CHEM5750.3.0.CO;2-P](https://doi.org/10.1002/1521-3765(20021216)8:24;5750::AID-CHEM5750.3.0.CO;2-P)  
'Structural variation in transition metal bispidine complexes.'
132. Baran, Y.; Comba, P.; Lawrance, G. A.  
*Inorg. React. Mech.*, **2002**, 4, 31. [DOI: 10.1080/1028662021000062509](https://doi.org/10.1080/1028662021000062509)  
'Trends in base hydrolysis rates of chlorocobalt(III) complexes of a series of related pentaamine ligands.'
133. Comba, P.; Lampeka, Y. D.; Lötzbeyer, L.; Prikhod'ko, A. I.  
*Eur. J. Inorg. Chem.*, **2003**, 34.  
'Macrocyclic melamine-based ligand complexes as building blocks for the metal-directed synthesis of heterometallic di- and trinuclear compounds.'
134. Comba, P.; Remenyi, R.  
*Coord. Chem. Rev.*, **2003**, 238-239, 9. [DOI: 10.1016/S0010-8545\(02\)00286-2](https://doi.org/10.1016/S0010-8545(02)00286-2)  
'Inorganic and bioinorganic molecular mechanics modeling – the problem of the force field parameterization.'
135. Comba, P.; Schiek, W.  
*Coord. Chem. Rev.*, **2003**, 238-239, 21. [DOI: 10.1016/S0010-8545\(02\)00294-1](https://doi.org/10.1016/S0010-8545(02)00294-1)  
'Fit and misfit between ligands and metal ions.'
136. Mayboroda, A.; Comba, P.; Pritzkow, H.; Rheinwald, G.; Lang, H.; VanKoten, G.  
*Eur. J. Inorg. Chem.*, **2003**, 1703. [DOI: 10.1002/ejic.200200559](https://doi.org/10.1002/ejic.200200559)  
'Heterotrinnuclear complexes of platinum group metals with 2,2'-biimidazole as bridging ligand.'
137. Comba, P.; Merz, M.; Pritzkow, H.  
*Eur. J. Inorg. Chem.*, **2003**, 1711. [DOI: 10.1002/ejic.200200618](https://doi.org/10.1002/ejic.200200618)  
'Catalytic aziridination of styrene with copper complexes of substituted 3,7-diazabicyclo[3.3.1]nonanes.'
138. Comba, P.; DeFulius, G. N.; Lawrance, G. A.; Luther, S. M.; Maeder, M.; Nolan, A. L.; Robertson, M. J.; Turner, P.  
*J. Chem. Soc., Dalton Trans.*, **2003**, 2188. [DOI: 10.1039/b303515h](https://doi.org/10.1039/b303515h)  
'Geometrical isomerism in octahedral complexes arising from the presence of a fused ring on a triaza macrocycle.'
139. Comba, P.; Kerscher, M.; Lampeka, Y. D.; Lötzbeyer, L.; Pritzkow, H.; Tsymbal, L.  
*Inorg. Chem.*, **2003**, 42, 3387-3389. [DOI: 10.1021/ic026265r](https://doi.org/10.1021/ic026265r)  
'Structural properties of cyclopentanone-bridged bis-macrocyclic ligand dicopper(II) complexes in the solid and in solution – a test for the MM-EPR method.'

140. Comba, P.; Mayboroda, A.; Pritzkow, H.  
*Eur. J. Inorg. Chem.*, **2003**, 3042. DOI: [10.1002/elic.200300177](https://doi.org/10.1002/elic.200300177)  
'Homogeneous hydrogenation catalyzed by trinuclear Rh(I)-Os(III)-Rh(I) complexes.'
141. Comba, P.; Hauser, A.; Kerscher, M.; Pritzkow, H.  
*Angew. Chem. Int. Ed.* **2003**, *42*, 4536-4540. DOI: [10.1002/anie.200351900](https://doi.org/10.1002/anie.200351900)  
'Bond-stretch isomerism: Trapped isomeric structures of hexacoordinate copper(II) bispidine chromophores along a Jahn-Teller active vibrational coordinate.'
142. Comba, P.; Koek, J. H.; Lienke, A.; Merz, M.; Tsymbal, L.  
*Patent WO 03/104234 A1 (2003-12-18)*  
'Ligand and complex for catalytically bleaching a substrate.'
143. Bukowski, M.; Comba, P.; Limberg, C.; Merz, M.; Que Jr., L.; Wistuba, T.  
*Angew. Chem. Int. Ed.* **2004**, *43*, 1283-1287. DOI: [10.1002/anie.200352523](https://doi.org/10.1002/anie.200352523)  
'Bispidine ligand effects on the iron / hydrogen peroxide chemistry.'
144. Comba, P.; Müller, V.; Remenyi, R.  
*J. Inorg. Biochem.*, **2004**, *98*, 896. DOI: [10.1016/j.jinorgbio.2003.12.004](https://doi.org/10.1016/j.jinorgbio.2003.12.004)  
'Interpretation of the temperature-dependent color of blue copper protein mutants.'
145. Comba, P.; Kerscher, M.  
*Cryst. Eng.*, **2004**, *6*, 197. DOI: [10.1016/j.crysen.2004.04.002](https://doi.org/10.1016/j.crysen.2004.04.002)  
'Structure correlation in bispidine coordination compounds – isomerism and tunable reactivity.'
146. Zhang, X-M.; Wu, H-S.; Zhang, F-Q.; Prikhod'ko, A.; Kuwata, S.; Comba, P.  
*J. Chem. Soc., Chem. Commun.*, **2004**, 2046. DOI: [10.1039/b405931j](https://doi.org/10.1039/b405931j)  
'The three-electron heteropoly blue  $[P_6Mo_{18}O_{73}]^{11-}$  with a basket-shaped skeleton.'
147. Cavigliasso, G.; Comba, P.; Stranger, R.  
*Inorg. Chem.*, **2004**, *43*, 6734. DOI: [10.1021/ic049503m](https://doi.org/10.1021/ic049503m)  
'Density functional investigation of metal-metal interactions in mixed-valence  $d^2d^3$  (Cr, Mo, W) and  $d^3d^4$  (Mn, Tc, Re) face-shared  $[M_2Cl_9]^{2-}$  systems.'
148. Comba, P.; Kerscher, M.; Roodt, A.  
*Eur. J. Inorg. Chem.*, **2004**, 4640. DOI: [10.1002/ejic.200400518](https://doi.org/10.1002/ejic.200400518)  
'Slow electron self-exchange in spite of small inner-sphere reorganization energy – The electron transfer properties of a copper complex with a tetradentate bispidine ligand.'
149. Comba, P.; Linti, G.; Merz, K.; Pritzkow, H.; Renz, F.  
*Eur. J. Inorg. Chem.*, **2005**, 383. DOI: [10.1002/ejic.200400617](https://doi.org/10.1002/ejic.200400617)  
'Electronic interactions in ferrocene- and ruthenocene-functionalized tetraazamacrocyclic ligand complexes of  $Fe^{II/III}$ ,  $Co^{II}$ ,  $Ni^{II}$ ,  $Cu^{II}$  and  $Zn^{II}$ .'
150. Comba, P.; Kerscher, M.; Martin, B.  
*Ruperto Carola Forschungsmagazin*, **2005**, *1*, 43.  
'Aktivierung von Sauerstoff – Chemiker lernen von der Natur.'
151. Comba, P.; Lopez de Laorden, C.; Pritzkow, H.  
*Helv. Chim. Acta (Special Issue Andre Merbach)*, **2005**, *88*, 647.  
DOI: [10.1002/hlca.200590045](https://doi.org/10.1002/hlca.200590045)  
'Tuning the properties of copper(II) complexes with tetra- and pentadentate bispidine ligands.'

152. Comba, P.; Martin, B.; Prikhod'ko, A.; Pritzkow, H.; Rohwer, H.  
*Comptes Rendus Chimie (Special Issue Integrated experimental, spectroscopic and theoretical aspects of inorganic chemistry)*, **2005**, 8, 1506.  
[DOI: 10.1016/j.crci.2005.03.003](https://doi.org/10.1016/j.crci.2005.03.003)  
'Structural variation in the copper(II) complexes with a tetradentate bis-6-methylpyridine-substituted bispidine ligand.'
153. Comba, P.; Martin, B.  
*In "Macrocyclic Chemistry, Current Trends and Future Perspectives"*, Gloe, K., Ed; Springer **2005**, p. 303.  
'Modeling of macrocyclic ligand complexes.'
154. Bleiholder, C.; Börzel, H.; Comba, P.; Ferrari, R.; Heydt, A.; Kerscher, M.; Kuwata, S.; Laurency, G.; Lawrance, G. A.; Lienke, A.; Martin, B.; Merz, M.; Nuber, B.; Pritzkow, H.  
*Inorg. Chem.*, **2005**, 44, 8145. [DOI:10.1021/IC0513383](https://doi.org/10.1021/IC0513383)  
'Coordination chemistry of a new rigid, hexadentate bispidine-based bis(amine)tetrakis(pyridine) ligand.'
155. Stephan, H.; Geipel, G.; Bernhard, G.; Hahn, U.; Vögtle, F.; Comba, P.; Rajaraman, G.  
*Eur. J. Inorg. Chem.*, **2005**, 4501. [DOI: 10.1002/ejic.200500176](https://doi.org/10.1002/ejic.200500176)  
'Synthesis and binding properties of dendritic oxybathopenanthroline ligands towards copper(II).'
156. Atanasov, M.; Comba, P.; Lampeka, Y. D.; Linti, G.; Malcherek, T.; Miletich, R.; Prikhod'ko, A.; Pritzkow, H.  
*Chem. Eur. J.*, **2006**, 12, 737. [DOI: 10.1002/chem.200500365](https://doi.org/10.1002/chem.200500365)  
'Encapsulation of cyanometalates by a tris-macrocyclic ligand tricopper(II) complex – syntheses, structural variation and magnetic exchange coupling pathways.'
157. Comba, P.; Daubinet, A.; Martin, B.; Pietzsch, H. J.; Stephan, H.  
*J. Organomet. Chem. (Special Issue Applied Theory)*, **2006**, 691, 2495.  
[DOI: 10.1016/j.jorganchem.2006.01.068](https://doi.org/10.1016/j.jorganchem.2006.01.068)  
'A new molecular mechanics force field for the design of oxotechnetium(V) and oxorhenium(V) radiopharmaceuticals.'
158. Bukowski, M. R.; Comba, P.; Lienke, A.; Limberg, C.; Lopez de Lorden, C.; Mas-Balleste, R.; Merz, M.; Que Jr., L.  
*Angew. Chem.*, **2006**, 118, 3524; *Angew. Chem. Int. Ed.*, **2006**, 45, 3446.  
[DOI: 10.1002/anie.200504357](https://doi.org/10.1002/anie.200504357)  
'Catalytic oxidation of olefins in bispidine iron (II) / H<sub>2</sub>O<sub>2</sub> systems.'
159. Comba, P.; Lampeka, Y. D.; Prikhod'ko, A.; Rajaraman, G.  
*Inorg. Chem.*, **2006**, 45, 36323638. [DOI: 10.1021/ic052124o](https://doi.org/10.1021/ic052124o)  
'Determination of the solution structures of melamine-based bis- and tris-macrocyclic ligand copper(II) complexes.'
160. Comba, P.; Kuwata, S.; G. Linti, H. Pritzkow, Tarnai, M.; Wadepohl, H.  
*J. Chem. Soc., Chem. Commun.*, **2006**, 2074-2076. [DOI:10.1039/B602571D](https://doi.org/10.1039/B602571D)  
'Oxidative N-dealkylation in cobalt-bispidine-H<sub>2</sub>O<sub>2</sub> systems.'
161. Atanasov, M.; Comba, P.; Martin, B.; Müller, V.; Rajaraman, G.; Rohwer, H.; Wunderlich, S.  
*J. Comput. Chem. (Special Issue Applied Theory in Bioinorganic Chemistry)*, **2006**, 27, 1263. [DOI: 10.1002/jcc.20412](https://doi.org/10.1002/jcc.20412)  
'DFT models for copper(II) bispidine complexes: Structures, stabilities, isomerism, spin distribution and spectroscopy.'

162. Uezu, K.; Quyen, T. H. L.; Umetani, S.; Comba, P.  
*Solvent Extraction Research and Development, Japn.*, **2006**, *13*, 161.  
'Molecular modelling of  $\beta$ -diketones for the separation of aluminium(III) and indium(III).'
163. Comba, P.; Kuppert, D.; Hegetschweiler, K.  
*Eur. J. Inorg. Chem.*, **2006**, 2792. DOI: [10.1002/ejic.200501120](https://doi.org/10.1002/ejic.200501120)  
'The reactivity of  $\text{Co}^{\text{III}}$ -hexa(*N*-methylideneimine)-complexes towards nucleophiles: structure and mechanism.'
164. Comba, P.; Kerscher, M.; Pietzsch, H.-J.; Spies, H.; Stephan, H.; Juran, S.  
*Deutsches Patent*, **2006**.  
'Radioaktive Metallkomplexe von Bispidinderivaten und deren Verwendung für die nuklearmedizinische Diagnostik und Therapie sowie Verfahren zur Herstellung radioaktiver Metallkomplexe von Bispidinderivaten.'
165. Bautz, J.; Bukowski, M. R.; Stubna, A.; Kerscher, M.; Lienke, A.; Comba, P.; Münck, E.; Que Jr., L.  
*Angew. Chem. Int. Ed.* **2006**, *45*, 5681. DOI: [10.1002/anie.200601134](https://doi.org/10.1002/anie.200601134)  
'Formation of an aqueous oxoiron(IV) complex at pH 2-6 from a nonheme iron(II) complex and  $\text{H}_2\text{O}_2$ .'
166. Bautz, J.; Comba, P.; Que Jr., L.  
*Inorg. Chem.*, **2006**, *45*, 7077. DOI: [10.1021/ic0602401](https://doi.org/10.1021/ic0602401)  
'Spin-crossover in an iron(III)-bipidine-alkylperoxide system.'
167. Comba, P.; Krämer, R.; Mokhir, A.; Naing, K.; Schatz, E.  
*Eur. J. Chem.*, **2006**, 4442. DOI: [10.1002/ejic.200600469](https://doi.org/10.1002/ejic.200600469)  
'Synthesis of new phenanthroline-based hetero-ditopic ligands – highly efficient and selective fluorescence sensors for copper(II) ions.'
168. Atanasov, M.; Comba, P.; Förster, S.; Linti, G.; Malcherek, T.; Miletich, R.; Prikhod'ko, A.; Wadepohl, H.  
*Inorg. Chem.*, **2006**, *45*, 7722. DOI: [10.1021/ic060453q](https://doi.org/10.1021/ic060453q)  
'Tuning of inter- versus intra-chain magnetic interactions in cyano-bridged chains  $\text{Ni}^{\text{II+}}/\text{M}^{\text{III}}$  (M = Cr, Fe, Co) complexes.'
169. Stephan, H.; Juran, S.; Walther, J.; Steinbach, J.; Born, K.; Comba, P.  
in „Technetium, Rhenium and other Metals in Chemistry and Nuclear Medicine“, U. Mazzi (Ed.), SGE Editoriali, Padova, Italy, **2006**, *7*, 219-222.  
ISBN 8889884045, 9788889884041
170. Atanasov, M.; Comba, P.; Daul, C.  
*J. Phys. Chem. A*, **2006**, *110*, 13332. DOI: [10.1021/jp066020q](https://doi.org/10.1021/jp066020q)  
'DFT studies on the magnetic exchange across the cyanide bridge.'
171. Anastasi, A. E.; Lienke, A.; Comba, P.; Rohwer, H.; McGrady, J. E.  
*Eur. J. Inorg. Chem.*, **2007**, 65. DOI: [10.1002/ejic.200600786](https://doi.org/10.1002/ejic.200600786)  
'Competing radical and non-radical pathways for the decomposition of  $\text{Fe}^{\text{II}}(\text{H}_2\text{O}_2)$  complexes: a density functional study.'
172. Graham, B.; Comba, P.; Hearn, M. T. W.; Spiccia, L.  
*J. Biol. Inorg. Chem.*, **2007**, *12*, 11.  
<https://link.springer.com/article/10.1007/s00775-006-0160-3>  
'An examination of the binding behavior of histidine-containing peptides with immobilized metal complexes derived from the macrocyclic ligand 1,4,7-triazacyclononane.'

173. Born, K.; Comba, P.; Daubinet, A.; Fuchs, A.; Wadepohl, H.  
*J. Biol. Inorg. Chem.*, **2007**, *12*, 36.  
<https://link.springer.com/article/10.1007/s00775-006-0161-2>  
'Catecholase activity of dicopper(II) bispidine complexes: stabilities and structures of intermediates, kinetics and reaction mechanism.'
174. Born, K.; Comba, P.; Ferrari, R.; Kuwata, S.; Lawrance, G. A.; Wadepohl, H.  
*Inorg. Chem.*, **2007**, *46*, 458-464. [DOI:10.1021/IC061501b](https://doi.org/10.1021/IC061501b)  
'Stability constants – a new twist in transition metal bispidine chemistry.'
175. Comba, P.; Kuwata, S.; Linti, G.; Tarnai, M.; Wadepohl, H.  
*Eur. J. Inorg. Chem.*, **2007**, 657. [DOI: 10.1002/ejic.200600927](https://doi.org/10.1002/ejic.200600927)  
'Synthesis and oxidation of vanadyl complexes containing bispidine ligands.'
176. Comba, P.; Rajaraman, G.; Rohwer, H.  
*Inorg. Chem.*, **2007**, *46*, 3826-3838. [DOI: 10.1021/ic061129y](https://doi.org/10.1021/ic061129y)  
'A density functional theory study of the reaction of the biomimetic iron(II) complex of a tetradentate bispidine ligand with H<sub>2</sub>O<sub>2</sub>.'
177. Atanasov, M.; Comba, P.  
*J. Mol. Struct.*, **2007**, *838*, 157.  
'On the ground state T<sub>g</sub> x ε<sub>g</sub> (T<sub>g</sub> = <sup>2</sup>T<sub>2g</sub>, <sup>3</sup>T<sub>1g</sub>) Jahn-Teller coupling in hexacyano complexes of 3d transition metal ions.'
178. Comba, P.; Kerscher, M.; Schiek, W.  
*Progr. Inorg. Chem.*, **2007**, *55*, 613-704. [DOI:10.1002/9780470144428.CH9](https://doi.org/10.1002/9780470144428.CH9)  
'Bispidine coordination chemistry.'
179. Anastasi, A. E.; Comba, P.; McGrady, J.; Lienke, A.; Rohwer, H.  
*Inorg. Chem.* **2007**, *46*, 6420-6426.  
[DOI: 10.1021/ic700429x](https://doi.org/10.1021/ic700429x)  
'Electronic structure of bispidine iron(IV)oxo complexes.'
180. Atanasov, M.; Comba, P.; Daul, C. A.; Hauser, A.  
*J. Phys. Chem. (A)* **2007**, *111*, 9145. [DOI: 10.1021/jp0731912](https://doi.org/10.1021/jp0731912)  
'DFT-based studies on the Jahn-Teller effect in 3d hexacyanometalates with orbitally degenerate ground states.'
181. Bautz, J.; Comba, P.; Lopez de Laorden, C.; Menzel, M.; Rajaraman, G.  
*Angew. Chem. Int. Ed.*, **2007**, *46*, 8067. [DOI: 10.1002/anie.200701681](https://doi.org/10.1002/anie.200701681)  
'Biomimetic high-valent non-heme iron(IV) oxidants for the cis-dihydroxylation and epoxidation of olefins.'
182. Comba, P.; Kerscher, M.  
*in "Models, Mystery and Magic of Molecules", Boeyens, J. C. A.; Ogilvie, J. Eds., Springer 2008, Chapter 18, 391. (ISBN 978-1-4020-5941-4)*  
[DOI: 10.1007/978-1-4020-5941-4](https://doi.org/10.1007/978-1-4020-5941-4)  
'Models for isomeric bispidine complexes – Accurate prediction versus thorough understanding.'
183. Atanasov, M.; Comba, P.; Daul, C. A.; Neese, F.  
*in "Models, Mystery and Magic of Molecules", Boeyens, J. C. A.; Ogilvie, J. Eds., Springer 2008, Chapter 19, 411. (ISBN 978-1-4020-5941-4)*  
[DOI: 10.1007/978-1-4020-5941-4](https://doi.org/10.1007/978-1-4020-5941-4)  
'The ligand field paradigm – Insight into electronic properties of transition metal complexes based on calculations of electronic structure.'



184. Comba, P.; Knoppe, S.; Martin, B.; Rajaraman, G.; Rolli, C.; Shapiro, B.; Stork, T. *Chem. Eur. J.* **2008**, *14*, 344. DOI: [10.1002/chem.200700865](https://doi.org/10.1002/chem.200700865)  
'The copper(II)-mediated aromatic *ortho*-hydroxylation: A hybrid DFT and *ab initio* exploration.'
185. Comba, P.; Rajaraman, G. *Inorg. Chem.* **2008**, *47*, 78. DOI: [10.1021/ic701161r](https://doi.org/10.1021/ic701161r)  
'Epoxidation and 1,2-dihydroxylation of alkenes by a nonheme iron model system – DFT supports the mechanism proposed by experiment.'
186. Atanasov, M.; Comba, P.; Daul, C. A. *Inorg. Chem.* **2008**, *47*, 2449. DOI: [10.1021/ic701702x](https://doi.org/10.1021/ic701702x)  
'A combined ligand field and density functional theory analysis of the magnetic anisotropy in oligonuclear complexes based on Fe<sup>III</sup>-CN-M<sup>II</sup> exchange-coupled pairs.'
187. Comba, P.; Gahan, L. R.; Haberhauer, G.; Hanson, G. A.; Noble, C. J.; Seibold, B.; van den Brenk, A. L. *Chem. Eur. J.* **2008**, *14*, 4393. DOI: [10.1002/chem.200701778](https://doi.org/10.1002/chem.200701778)  
'Copper(II) coordination chemistry of Westiellamide and its imidazole-, oxazole- and thiazol analogues.'
188. Comba, P.; Lang, C.; Lopez de Laorden, C.; Muruganatham, A.; Rajaraman, G.; Wadepohl, H.; Zajaczkowski, M. *Chem. Eur. J.* **2008**, *14*, 5313. DOI: [10.1002/chem.200701910](https://doi.org/10.1002/chem.200701910)  
'The mechanism of the bispidinecopper-catalyzed aziridination of styrene. A combined theoretical and experimental study.'
189. Comba, P.; Kerscher, M.; Lawrance, G. A.; Martin, B.; Wadepohl, H.; Wunderlich, S. *Angew. Chem. Int. Ed.* **2008**, *47*, 4743. DOI: [10.1002/anie.200800515](https://doi.org/10.1002/anie.200800515)  
'Stable five- and six-coordinate cobalt(III) complexes with a pentadentate bispidine ligand.'
190. Atanasov, M.; Busche, C.; Comba, P.; El Hallak, F.; Martin, B.; Rajaraman, G.; van Slageren, J.; Wadepohl, H. *Inorg. Chem.* **2008**, *47*, 8112. DOI: [10.1021/ic800556c](https://doi.org/10.1021/ic800556c)  
'Trinuclear {M<sup>I</sup>}CN{M<sup>II</sup>}<sub>2</sub> complexes (M<sup>I</sup> = Cr<sup>III</sup>, Fe<sup>III</sup>, Co<sup>III</sup>, M<sup>II</sup> = Cu<sup>II</sup>, Ni<sup>II</sup>, Mn<sup>II</sup>). Are single molecule magnets predictable?'
191. Bentz, A.; Comba, P.; Deeth, R. J.; Kerscher, M.; Seibold, B.; Wadepohl, H. *Inorg. Chem.* **2008**, *47*, 9518. DOI: [10.1021/ic8011052](https://doi.org/10.1021/ic8011052)  
'Modeling of the various minima on the potential energy surface of bispidine copper(II) complexes: A test for ligand field molecular mechanics structural modeling (LFMM).'
192. Stephan, H.; Juran, S.; Born, K.; Comba, P.; Geipel, G.; Hahn, U.; Werner, N.; Vögtle, F. *New. J. Chem.* **2008**, *32*, 2016. DOI: [10.1039/b805136d](https://doi.org/10.1039/b805136d)  
'Hydrophilic oxybathophenanthroline dendrons: Synthesis and copper(II) complexation.'
193. Comba, P.; Maurer, M.; Vadivelu, P. *J. Phys. Chem. (A) (Special Issue Sason Shaik)* **2008**, *112*, 13028. DOI: [10.1021/jp8037895](https://doi.org/10.1021/jp8037895)  
'Oxidation of cyclohexane by a high-valent iron bispidine complex – a combined experimental and computational mechanistic study.'
194. Born, K.; Comba, P.; Kerscher, M.; Linti, G.; Pritzkow H.; Rohwer, H. *Dalton* **2009**, 362-367. DOI: [10.1039/B810833A](https://doi.org/10.1039/B810833A)  
'Distortional isomerism with copper(I) complexes of tetradentate 3,7-diazabicyclo[3.3.1]nonane derivatives.'

195. Comba, P.; Kerscher, M.  
in „Activating Unreactive Substrates – The Role of Secondary Interactions.“, Bolm, C;  
Hahn, F. E. (Eds.) VCH **2009**, 53. DOI: [10.1002/9783527625468.ch4](https://doi.org/10.1002/9783527625468.ch4)  
'Tuning of structures and properties of bispidine complexes.'
196. Comba, P.; Kerscher, M.  
*Coord. Chem. Rev.* **2009**, 253, 564-574.  
DOI: [10.1016/j.ccr.2008.05.019](https://doi.org/10.1016/j.ccr.2008.05.019)  
'Computation of structures and properties of transition metal compounds.'
197. Juran, S.; Walther, M.; Stephan, H.; Bergmann, R.; Steinbach, J.; Kraus, W.;  
Emmerling, F.; Comba, P.  
*Bioconjugate Chem.* **2009**, 20, 347-359. DOI: [10.1021/bc800461e](https://doi.org/10.1021/bc800461e)  
'Hexadentate bispidine derivatives as versatile bifunctional chelate agents for copper(II)  
radioisotopes.'
198. Comba, P.; Hausberg, S.; Martin, B.  
*J. Phys. Chem. A* **2009**, 113, 6751. DOI: [10.1021/jp900752p](https://doi.org/10.1021/jp900752p)  
'Calculation of exchange coupling constants of transition metal complexes with DFT.'
199. Comba, P.; Haaf, C.; Wadepohl, H.  
*Inorg. Chem.* **2009**, 48, 6604-6614. DOI: [10.1021/ic900571v](https://doi.org/10.1021/ic900571v)  
'Novel bispidine ligands and their first-row transition metal complexes: trigonal  
bipyramidal and trigonal prismatic geometries.'
200. Comba, P.; Hambley, T. W.; Martin, B.  
'Molecular modeling of inorganic compounds'. 3<sup>rd</sup> Edition with a Tutorial, based on  
Momec3, Wiley-VCH, Weinheim, **2009** (ISBN 978-3-527-31799-8)
201. Benet-Buchholz, J.; Comba, P.; Llobet, A.; Roeser, S.; Vadivelu, P.; Wadepohl, H.;  
Wiesner, S.  
*Dalton Trans.* **2009**, 5910-5923. DOI: [10.1039/b902037c](https://doi.org/10.1039/b902037c)  
'Iron vs ruthenium: a comparison of the stereoselectivities in the catalytic olefin  
epoxidation.'
202. Atanasov, M.; Comba, P.; Hausberg, S.; Martin, B.  
*Coord. Chem. Rev.* **2009**, 253, 2306-2314. DOI: [10.1016/j.ccr.2009.01.033](https://doi.org/10.1016/j.ccr.2009.01.033)  
'Cyanometalate-bridged oligonuclear transition metal complexes – Possibilities for a  
rational design of SMMs.'
203. Comba, P.; Dovalil, N.; Kim, H. H.; Kim, J. S.; Kim, Y.; Lee, Y. H.; Thuéry, P.;  
Zajaczkowski, M.  
*J. Incl. Phen. (Jack Harrowfield / Jacques Vicens retirement special)* **2009**, 65, 59-64.  
DOI: [10.1007/s10847-009-9630-x](https://doi.org/10.1007/s10847-009-9630-x)  
'Synthesis, solid state and solution structures of two isomeric dicopper(II) complexes  
with functionalized azetidine ligands.'
204. Comba, P.; Daumann, L.; Lefebvre, J.; Linti, G.; Martin, B.; Straub, J.; Zessin, T.  
*Aust. J. Chem. (Special Issue Alan Sargeson)* **2009**, 62, 1238-1245.  
DOI: [10.1071/CH09321](https://doi.org/10.1071/CH09321)  
'Mono- and dinuclear copper(II) and iron(III) complexes of a tetradentate bispidine-  
diacetate ligand.'

205. Atanasov, M.; Comba, P.  
in "The Jahn-Teller Effect – Advances and Perspectives", Springer Series of Chemical Physics, H. Köppel, H. Barentzen, D. R. Yarkony (Eds.), Springer, Heidelberg, **2009**, 621-650.  
[https://link.springer.com/chapter/10.1007%2F978-3-642-03432-9\\_19](https://link.springer.com/chapter/10.1007%2F978-3-642-03432-9_19)  
'The effect of Jahn-Teller coupling in hexacyanometalates on the magnetic anisotropy in cyanide-bridged single-molecule magnets.'
206. Comba, P.; Haaf, C.; Lienke, A.; Muruganatham, A.; Wadepohl, H.  
*Chem. Eur. J.* **2009**, *15*, 10880-10887.  
[DOI: 10.1002/chem.200802682](https://doi.org/10.1002/chem.200802682)  
'Synthesis, structure and highly efficient copper-catalyzed aziridination with a novel tetraaza-bispidine ligand.'
207. Comba, P.; Maurer, M.; Vadivelu, P.  
*Inorg. Chem.* **2009**, *48*, 10389-10396.  
[DOI: 10.1021/ic901702s](https://doi.org/10.1021/ic901702s)  
'Oxidation of cyclohexane by high-valent iron bispidine complexes: tetradentate vs. pentadentate ligands.'
208. Comba, P.; Haaf, C.; Kerscher, M.; Lienke, A.  
PCT WO 2009/010129  
'Bispidinliganden und ihre Metallkomplexe.'
209. Comba, P. (Ed)  
*Springer* **2010**(ISBN 978-90-481-2887-7);  
<http://www.springer.com/gb/book/9789048128877>  
'Structure and Function.'
210. Atanasov, M.; Comba, P.  
in "Structure and Function", *Comba, P. (Ed), Springer* **2010**, 53-85.  
<https://www.springerprofessional.de/magnetic-anisotropy-in-cyanide-complexes-of-first-row-transition/4682412>  
'Magnetic anisotropy in cyanide complexes of first row transition metal ions.'
211. Busche, C.; Comba, P.; Mayboroda, A.; Wadepohl, H.  
*Eur. J. Inorg. Chem.* **2010**, 1295-1302. [DOI: 10.1002/ejic.200901058](https://doi.org/10.1002/ejic.200901058)  
'Novel ruthenium(II) complexes with bispidine-based bridging ligands. Luminescence sensing and photocatalytic properties.'
212. Comba, P.; Fukuzumi, S.; Kotani, H.; Wunderlich, S.  
*Angew. Chem. Int. Ed.* **2010**, *49*, 2622-2625. [DOI: 10.1002/anie.200904427](https://doi.org/10.1002/anie.200904427)  
'Electron transfer properties of an efficient nonheme iron oxidation catalyst with a tetradentate bispidine ligand.'
213. Benet-Buchholz, J.; Comba, P.; Llobet, A.; Roeser, S.; Vadivelu, P.; Wiesner, S.  
*Dalton Trans.* **2010**, *39*, 3315-3320. [DOI: 10.1039/b924614b](https://doi.org/10.1039/b924614b)  
'The Ru<sup>IV</sup>=O-catalyzed sulfoxidation: a gated mechanism where O to S linkage isomerization switches between different efficiencies.'
214. Comba, P.; Haaf, C.  
*J. Label. Compd. Radiopharm.* **2010**, *53*, 162-163.  
'New bispidone type ligands and their applications.'

215. Comba, P.; Wunderlich, S.  
*Chem. Eur. J.* **2010**, *16*, 7293-7299. DOI: [10.1002/chem.201000092](https://doi.org/10.1002/chem.201000092)  
'Iron-catalyzed halogenation of alkanes: modeling of nonheme halogenases by experiment and DFT.'
216. Comba, P.; Dovalil, N.; Haberhauer, G.; Hanson, G. R.; Karod Y.; Taura, T.  
*J. Biol. Inorg. Chem.* **2010**, *15*, 1129-1135.  
DOI: [10.1007/s00775-010-0673-7](https://doi.org/10.1007/s00775-010-0673-7)  
'Complex formation and stability of westiellamide derivatives with copper(II).'
217. Comba, P.; Jakob, M.; Kerscher, M.  
*Inorg. Synth.* **2010**, *35*, 70-73. DOI: [10.1002/9780470651568.ch3](https://doi.org/10.1002/9780470651568.ch3)  
'The tetradentate bispidine ligand dimethyl-(3,7-dimethyl-9-oxo-2,4-bis(2-pyridyl)-3,7-diazabicyclo[3.3.1]nonane-1,5-dicarboxylate and its copper(II) complex.'
218. Fähnemann, S.; Stephan, H.; Steinbach, J.; Haaf, C.; Comba, P.;  
*Nucl. Med. Biol.* **2010**, *37*, 678-679. DOI: [10.1016/j.nucmedbio.2010.04.085](https://doi.org/10.1016/j.nucmedbio.2010.04.085)  
'Very stable Cu<sup>II</sup> complexes of bispidines and their radiopharmaceutical behavior.'
219. Stephan, H.; Bergmann, R.; Steinbach, J.; Spiccia, L.; Comba, P.;  
*Nucl. Med. Biol.* **2010**, *37*, 695-695. DOI: [10.1016/j.nucmedbio.2010.04.086](https://doi.org/10.1016/j.nucmedbio.2010.04.086)  
'Versatile new bifunctional chelators for copper radionuclides.'
220. Pfaff, F. F.; Kundu, S.; Risch, M.; Pandian, S.; Heims, F.; Pryjomska-Ray, I.; Haack, P.; Metzinger, R.; Bill, E.; Dau, H.; Comba, P.; Ray, K.  
*Angew. Chem. Int. Ed.* **2011**, *50*, 1711-1715. DOI: [10.1002/anie.201005869](https://doi.org/10.1002/anie.201005869)  
'An oxocobalt(IV) complex stabilized by its Lewis-acid interaction with redox-inactive Sc<sup>3+</sup> ions.'
221. Comba, P.; Wadepohl, H.; Wiesner, S.  
*Eur. J. Inorg. Chem.* **2011**, 2610-2615. DOI: [10.1002/ejic.201100212](https://doi.org/10.1002/ejic.201100212)  
'Optimization of the efficiency of oxidation catalysts based on iron bispidine complexes.'
222. Comba, P.; Dovalil, N.; Hanson, G. R.; Linti, G.  
*Inorg. Chem.* **2011**, *50*, 5165-5174. DOI: [10.1021/ic2004694](https://doi.org/10.1021/ic2004694)  
'Synthesis and copper(II) coordination chemistry of an imidazole-based patellamide derivative.'
223. Comba, P.; Pandian, S.; Wadepohl, H.; Wiesner, S.  
*Inorg. Chim. Acta (Special Issue Wolfgang Kaim)* **2011**, *374*, 422-428.  
DOI: [10.1016/j.ica.2011.02.047](https://doi.org/10.1016/j.ica.2011.02.047)  
'Structures, spectroscopy and modeling of a rare set of isomeric copper(II) complexes.'
224. Atanasov, M.; Comba, P.; Hanson, G. R.; Hausberg, S.; Helmle, S.; Wadepohl, H.  
*Inorg. Chem.* **2011**, *50*, 6890-6901. DOI: [10.1021/ic102430a](https://doi.org/10.1021/ic102430a)  
'Cyano-bridged homodinuclear copper(II) complexes.'

225. Jayapaul, J.; Hodenius, M.; Arns, S.; Lederle, W.; Lammers, T.; Comba, P.; Kiessling, F.; Gätjens, J.  
*Biomaterials* **2011**, *32*, 5863-5871. DOI: [10.1016/j.biomaterials.2011.04.056](https://doi.org/10.1016/j.biomaterials.2011.04.056)  
'FMN-coated fluorescent iron oxide nanoparticles for RCP-mediated targeting and labeling of metabolically active cancer and endothelial cells.'
226. Comba, P. (Ed)  
*Wiley-VCH* **2011** (ISBN 978-3-527-33021-8.). DOI: [10.1002/9783527636402](https://doi.org/10.1002/9783527636402)  
'Modeling of Molecular Properties.'
227. Comba, P.  
in "Modeling of Molecular Properties", Comba, P. (Ed), Wiley-VCH **2011**, 107-121.  
DOI: [10.1002/9783527636402.ch8](https://doi.org/10.1002/9783527636402.ch8)  
'Interpretation and prediction of properties of transition metal compounds.'
228. Madhavan, J.; Comba, P.; Maurer, M.; Vadivelu, P.; Venuvanalingham, V.  
*Dalton Trans. (Special Issue Computational Chemistry of Inorganic Systems)* **2011**, *40*, 11276-11281. DOI: [10.1039/C1DT11533B](https://doi.org/10.1039/C1DT11533B)  
'A combined experimental and computational study on the sulfoxidation by high-valent iron bispidine complexes.'
229. Comba, P.; Wadepohl, H.; Wunderlich, S.  
*Eur. J. Inorg. Chem.* **2011**, 5242-5249. DOI: [10.1002/ejic.201100802](https://doi.org/10.1002/ejic.201100802)  
'Oxidation versus dioxygenation of catechol: the iron-bispidine system.'
230. Comba, P.; Linti, G.; Zajaczkowski-Fischer, M.; Zessin, T.  
*J. Incl. Phen. (Special Issue Len Lindoy)* **2011**, *71*, 331-337.  
DOI: [10.1007/s10847-011-9967-9](https://doi.org/10.1007/s10847-011-9967-9).  
'Copper(II) and zinc(II) chemistry of a new hexadentate cyclam-based bis-di-2-pyridylmethanamine ligand.'
231. Comba, P.; Gahan, L. R.; Hanson, G. R.; Mereacre, V.; Noble, C. J.; Powell, A. K.; Prisecaru, I.; Schenk, G.; Zajaczkowski-Fischer, M.  
*Chem. Eur. J.* **2012**, *18*, 1700-1710. DOI: [10.1002/chem.201100229](https://doi.org/10.1002/chem.201100229)  
'Monoesterase activity of a purple acid phosphatase mimic with a cyclam platform.'
232. Comba, P.; Dovalil, N.; Gahan, L. R.; Haberhauer, G.; Hanson, G. R.; Noble, C. J.; Seibold, B.; Vadivelu, P.  
*Chem. Eur. J.* **2012**, *18*, 2578-2590. DOI: [10.1002/chem.201101975](https://doi.org/10.1002/chem.201101975)  
'Cu<sup>II</sup> coordination chemistry of patellamide derivatives. Possible biological functions of cyclic pseudo-peptides.'
233. Comba, P.; Haaf, C.; Helmle, S.; Karlin, K. D.; Pandian, S.; Waleska, A.  
*Inorg. Chem.* **2012**, *51*, 2841-2851. DOI: [10.1021/ic2019296](https://doi.org/10.1021/ic2019296)  
'Dioxygen reactivity of new bispidine-copper complexes.'
234. Daumann, L. J.; Gahan, L. R.; Comba, P.; Schenk, G.  
*Inorg. Chem.* **2012**, *51*, 7669-7681. DOI: [10.1021/ic300687y](https://doi.org/10.1021/ic300687y)  
'Cadmium(II) complexes; mimics of organophosphate pesticide degrading enzymes and metallo-β-lactamases.'

235. Comba, P.; Gahan, L. R.; Hanson, G. R.; Westphal, M.  
*Chem. Commun.* **2012**, *48*, 9364-9366. DOI: [10.1039/C2CC34836E](https://doi.org/10.1039/C2CC34836E)  
'Phosphatase reactivity by a dicopper(II) complex of a patellamide derivative – possible biological functions of cyclic peptides.'
236. Comba, P.; Martin, B.; Muruganatham, A.; Straub, J.  
*Inorg. Chem.* **2012**, *51*, 9214-9225. DOI: [10.1021/ic3004917](https://doi.org/10.1021/ic3004917)  
'Structure, bonding and catecholase mechanism of copper bispidine complexes.'
237. Atanasov, M.; Comba, P.; Helmle, S. {Comba, 2014 #9168}  
*Inorg. Chem.* **2012**, *51*, 9357-9368. DOI: [10.1021/ic301122h](https://doi.org/10.1021/ic301122h)  
'Cyanide-bridged Fe<sup>III</sup>-Cu<sup>II</sup> complexes: Jahn-Teller isomerism and its influence on the magnetic properties.'
238. Jayapaul, J.; Arns, S.; Lederle, W.; Lammers, T.; Comba, P.; Gätjens, J.; Kiessling, F.  
*Biomaterials* **2012**, *33*, 8822-8829. DOI: [10.1016/j.biomaterials.2012.08.036](https://doi.org/10.1016/j.biomaterials.2012.08.036)  
'Riboflavin carrier protein-targeted fluorescent USPIO for the assessment of vascular metabolism in tumors.'
239. Comba, P.; Gahan, L. R.; Mereacre, V.; Hanson, G. R.; Powell, A. K.; Schenk, G.; Zajaczkowski-Fischer, M.  
*Inorg. Chem.* **2012**, *51*, 12195-12209. DOI: [10.1021/ic301347t](https://doi.org/10.1021/ic301347t)  
'Spectroscopic characterization of the active Fe<sup>III</sup>Fe<sup>III</sup> and Fe<sup>III</sup>Fe<sup>II</sup> forms of a purple acid phosphatase model system.'
240. Atanasov, M.; Comba, P.; Helmle, S.; Müller, D.; Neese, F.  
*Inorg. Chem.* **2012**, *51*, 12324-12335. DOI: [10.1021/ic3016047](https://doi.org/10.1021/ic3016047)  
'Zero-field splitting of a series of structurally related mononuclear nickel(II)-bispidine complexes.'
241. Schenk, G.; Mitić, N.; Hanson, G.; Comba, P.  
*Coord. Chem. Rev. (Special Issue Ed Solomon)* **2013**, *257*, 473-482.  
DOI: [10.1016/j.ccr.2012.03.020](https://doi.org/10.1016/j.ccr.2012.03.020)  
'Purple acid phosphatases: A journey into the function and mechanism of a colourful enzyme.'
242. Wang, D.; Ray, K.; Collins, M. J.; Farquhar, E. R.; Frisch, J. R.; Gomez, L.; Jackson, T. A.; Kerscher, M.; Waleska, A.; Comba, P.; Costas, M.; Que Jr., L.  
*Chem. Sci.* **2013**, *4*, 282-291. DOI: [10.1039/c2sc21318d](https://doi.org/10.1039/c2sc21318d)  
'Non-heme oxoiron(IV) complexes of pentadentate N5 ligands: spectroscopy, electrochemistry and oxidative reactivity.'
243. Daumann, L. J.; Comba, P.; Larrabee, J. A.; Schenk, G.; Stranger, R.; Cavigliasso, G.; Bernhardt, P. V.; Gahan, L. R.  
*Inorg. Chem.* **2013**, *52*, 2029-2043. DOI: [10.1021/ic302418x](https://doi.org/10.1021/ic302418x)  
'Synthesis, magnetic properties and phosphoesterase activity of dinuclear cobalt(II) complexes.'
244. Boeyens, J. C. A.; Comba, P., Eds.  
*Structure and Bonding* **2013**, *148*. DOI: [10.1007/978-3-642-31977-8](https://doi.org/10.1007/978-3-642-31977-8)  
'Electronic Structure and Number Theory. Bohr's Boldest Dream.'

245. Boeyens, J. C. A.; Comba, P.  
*Structure and Bonding*, Boeyens, J. C. A.; Comba, P., Eds. **2013**, 148, 1-24.  
[DOI: 10.1007/978-3-642-31977-8\\_1](https://doi.org/10.1007/978-3-642-31977-8_1)  
'Chemistry by Number Theory.'
246. Boeyens, J. C. A.; Comba, P.  
*Structure and Bonding*, Boeyens, J. C. A.; Comba, P., Eds. **2013**, 148, 137-160.  
[DOI: 10.1007/978-3-642-31977-8\\_6](https://doi.org/10.1007/978-3-642-31977-8_6)  
'Molecular Shape.'
247. Brox, D.; Kiel, A.; D.; Wörner, S. J.; Pernpointner, M.; Comba, P.; Martin, B.; Herten, D.-P.  
*PLoS ONE* **2013**, 8, e58049. [DOI:10.1371/journal.pone.0058049](https://doi.org/10.1371/journal.pone.0058049)  
'Ensemble and single-molecule studies on fluorescence quenching in transition metal bipyridine-complexes.'
248. Comba, P.; Morgen, M.; Wadepohl, H.  
*Polyhedron (Special Issue 100 years after the Nobel Prize to Alfred Werner)*  
**2013**, 52, 1239-1245. [DOI: 10.1016/j.poly.2012.06.035](https://doi.org/10.1016/j.poly.2012.06.035)  
'First row transition metal complexes of a hexadentate pyrazol-based bispidine ligand.'
249. Comba, P.; Emmerling, F.; Jakob, M.; Kraus, W.; Kubeil, M.; Morgen, M.; Pietzsch, J.; Stephan, H.  
*Dalton (Special Issue Chemistry and Applications of Metal Complexes)*  
**2013**, 42, 6142-6148. [DOI: 10.1039/C2DT32356G](https://doi.org/10.1039/C2DT32356G)  
'Copper(II) chemistry of the functionalized macrocycle cyclam tetrapropionic acid.'
250. Comba, P.; Morgen, M.; Wadepohl, H.  
*Inorg. Chem.* **2013**, 52, 6481-6501. [DOI: 10.1021/ic4004214](https://doi.org/10.1021/ic4004214)  
'Tuning of the properties of transition metal bispidine complexes by variation of the basicity of the aromatic donor groups.'
251. Daumann, L. J.; Larrabee, J. A.; Comba, P.; Gahan, L. R.  
*Eur. J. Inorg. Chem.* **2013**, 3082-3089. [DOI: 10.1002/ejic.201300280](https://doi.org/10.1002/ejic.201300280)  
'Dinuclear cobalt(II) complexes as metallo- $\beta$ -lactamase mimics.'
252. Comba, P.; Martin, B.; Sanyal, A.  
*J. Comput. Chem.* **2013**, 34, 1598-1608. [DOI: 10.1002/jcc.23297](https://doi.org/10.1002/jcc.23297)  
'An efficient fluctuating charge model for transition metal complexes.'
253. Comba, P.; Dovalil, N.; Haberhauer, G.; Kowski, K.; Mehrkens, N.; Westphal, M.  
*Z. Allg. Anorg. Chem. (Special Issue Bioinorganic Chemistry)* **2013**, 639, 1395-1400.  
[DOI: 10.1002/zaac.201300079](https://doi.org/10.1002/zaac.201300079)  
'Copper solution chemistry of cyclic pseudo-octapeptides.'
254. Comba, P.; Martin, B.; Sanyal, A.; Stephan, H.  
*Dalton Trans.* **2013**, 42, 11066-11073.  
[DOI: 10.1039/C3DT51049B](https://doi.org/10.1039/C3DT51049B)  
The computation of lipophilicities of  $^{64}\text{Cu}$  PET systems based on a novel approach for fluctuating charges.'
255. Comba, P.; Hunoldt, S.; Morgen, M.; Pietzsch, J.; Stephan, H.; Wadepohl, H.  
*Inorg. Chem.* **2013**, 52, 8131-8143. [DOI: 10.1021/ic4008685](https://doi.org/10.1021/ic4008685)  
'Optimization of pentadentate bispidines as bifunctional chelators for  $^{64}\text{Cu}$  positron emission tomography (PET).'

256. Comba, P.  
*Ruperto Carola Forschungszeitschrift "Ordnung und Chaos"* **2013**, 3, 25-32.  
'Chemie oder die Liebe zur Geometrie.'
257. de Visser, S. P.; Quesne, M. G.; Martin, B.; Comba, P.; Ryde, U.  
*Chem. Commun. (Special Web Themed Issue 'Biological Oxidation Reactions')* **2014**, 50, 262-282. [DOI: 10.1039/C3CC47148A](https://doi.org/10.1039/C3CC47148A)  
'Computational modelling of oxygenation processes in enzymes and biomimetic model complexes.'
258. Comba, P.; Lee, Y.-M.; Nam, W.; Waleska, A.  
*Chem. Commun. (Special Web Themed Issue 'Biological Oxidation Reactions')* **2014**, 50, 412-414. [DOI:10.1039/C3CC47013J](https://doi.org/10.1039/C3CC47013J)  
'Catalytic oxidation of alkanes by iron bispidine complexes and dioxygen: oxygen activation versus autoxidation.'
259. Comba, P.; Dovalil, N.; Gahan, L.R.; Hanson, G. R.; Westphal, M.  
*Dalton Trans. (Dalton Perspective)* **2014**, 43, 1935-1956. [DOI:10.1039/C3DT52664J](https://doi.org/10.1039/C3DT52664J)  
'Cyclic peptide marine metabolites and Cu<sup>II</sup>.'
260. Comba, P.; Gahan, L. R.; Hanson, G. R.; Maeder, M.; Westphal, M.  
*Dalton* **2014**, 43, 3144-3152. [DOI:10.1039/C3DT53135J](https://doi.org/10.1039/C3DT53135J)  
'Carbonic anhydrase activity of dinuclear copper(II) complexes with patellamide model ligands.'
261. Comba, P.; Wadepohl, H.; Waleska, A.  
*Aust. J. Chem. (Heron 6 Special Issue)* **2014**, 67, 398-404. [DOI: 10.1071/CH13454](https://doi.org/10.1071/CH13454)  
'Redox properties of iron complexes with pentadentate bispidine ligands.'
262. Grosshauser, M.; Comba, P.; Kim, J. Y.; Ohto, K.; Thuery, P.; Lee, Y. H.; Kim, Y.; Harrowfield, J.  
*Dalton Trans.* **2014**, 43, 5662-5666. [DOI: 10.1039/C4DT00305E](https://doi.org/10.1039/C4DT00305E)  
'Ferro- and antiferro-magnetic coupling in a chloride-bridged tetranuclear copper(II) complex.'
263. Althoff, F.; Benzing, K.; Comba, P.; McRoberts, C.; Boyd, D. R.; Greiner, S.; Keppler, F.,  
*Nature Comm.* **2014**, 5, 1-9{Comba, 2015 #9551}. [DOI:10.1038/ncomms5205](https://doi.org/10.1038/ncomms5205)  
'Abiotic methanogenesis from organosulphur compounds under ambient conditions.'
264. Comba, P.; Kubeil, M.; Pietzsch, J.; Rudolf, H.; Stephan, H.; Zarschler, K.  
*Inorg. Chem.* **2014**, 53, 6698-6707. [DOI: 10.1021/ic500476u](https://doi.org/10.1021/ic500476u)  
'Bispidine dioxotetraaza macrocycles: a new class of bispidines for <sup>64</sup>Cu PET imaging.'
265. Comba, P.  
in "Molecular Catalysis", *Gade, L. H.; Hofmann, P. (Eds.), Wiley-VCH* **2014**, 123-145.  
[DOI: 10.1002/9783527673278.ch6](https://doi.org/10.1002/9783527673278.ch6)  
'Oxidation catalysis with high-valent nonheme iron complexes.'
266. Bosch, S.; Comba, P.; Gahan, L. R.; Schenk, G.  
*Inorg. Chem.* **2014**, 53, 9036-9051. [DOI: 10.1021/ic5009945](https://doi.org/10.1021/ic5009945)  
'Dinuclear zinc(II) complexes with hydrogen bond donors as structural and functional phosphatase models.'



267. Comba, P.; Dovalil, N.; Hanson, G. R.; Harmer, J.; Noble, C. J.; Riley, M. J.; Seibold, B.  
*Inorg. Chem.* **2014**, *53*, 12323-12336. DOI: [10.1021/ic5014413](https://doi.org/10.1021/ic5014413)  
'Insights into the electronic structure of copper(II) bound to an imidazole analogue of westiellamide.'
268. Stephan, H.; Walther, M.; Fähnemann, S.; Ceroni, P.; Molloy, J.; Bergamini, G.; Heisig, F.; Müller, C. E.; Kraus, W.; Comba, P.  
*Chem. Eur. J.* **2014**, *20*, 17011-17018. DOI: [10.1002/chem.201404086](https://doi.org/10.1002/chem.201404086)  
'Bispidines for dual imaging.'
269. Comba, P.; Rudolf, H.; Wadepohl, H.  
*Dalton Trans.* **2015**, *44*, 2724-2736. DOI: [10.1039/C4DT03262D](https://doi.org/10.1039/C4DT03262D)  
'Synthesis and transition metal coordination chemistry of a novel hexadentate bispidine ligand.'
270. Barman, P.; Vardhaman, A. K.; Martin, B.; Wörner, S. J.; Sastri, C. V.; Comba, P.  
*Angew. Chem. Int. Ed.* **2015**, *54*, 2095-2099. DOI: [10.1002/anie.201409476](https://doi.org/10.1002/anie.201409476)  
'Influence of ligand architecture on oxidation reactions by high-valent nonheme manganese-oxo complexes using water as a source of oxygen.'
271. Sainna, M. A.; Sil, D.; Sahoo, D.; Martin, B.; Rath, S. P.; Comba, P.; de Visser, S. P.  
*Inorg. Chem.* **2015**, *54*, 1919-1930. DOI: [10.1021/ic502803b](https://doi.org/10.1021/ic502803b)  
'Spin state ordering in  $\mu$ -hydroxo bridged diiron(III)bisporphyrin complexes.'
272. Brox, D.; Comba, P.; Herten, D.-P.; Kimmle, E.; Morgen, M.; Rühl, C. L.; Rybina, A.; Stephan, H.; Storch, G.; Wadepohl, H.  
*J. Inorg. Biochem. (Special Issue Eurobic 12)* **2015**, *148*, 78-83.  
<https://doi.org/10.1016/j.jinorgbio.2015.05.009>  
'Cu<sup>II</sup>-selective bispidine-dye conjugates.'
273. Comba, P.; Kerscher, M.; Krause, T.; Schöler, H. F.  
*Env. Chem.* **2015**, *12*, 381-395.  
<http://www.publish.csiro.au/en/EN14240>  
'Iron-catalysed oxidation and halogenation of organic matter in nature.'
274. Bernhardt, P. V.; Bosch, S.; Comba, P.; Gahan, L. R.; Hanson, G. R.; Mereacre, V.; Nobel, C.; Powell, A. K.; Schenk, G.; Wadepohl, H.  
*Inorg. Chem.* **2015**, *54*, 7249-7263. DOI: [10.1021/acs.inorgchem.5b00628](https://doi.org/10.1021/acs.inorgchem.5b00628)  
'An approach to more accurate model systems for purple acid phosphatases (PAP).'
275. Kubeil, M.; Zarschler, K.; Pietzsch, J.; Kraus, W.; Comba, P.; Stephan, H.  
*Eur. J. Inorg. Chem.* **2015**, 4013-4023. DOI: [10.1002/ejic.201500510](https://doi.org/10.1002/ejic.201500510)  
'Copper(II) cyclam complexes with N-propionic acid pendant arms.'
276. Bender, M.; Comba, P.; Demeshko, S.; Grosshauser, M.; Müller, D.; Wadepohl, H.  
*Z. Allg. Anorg. Chem., (Ekke Hahn Special Issue)* **2015**, 2291-2299.  
DOI: [10.1002/zaac.201500595](https://doi.org/10.1002/zaac.201500595)  
'Theoretically predicted and experimentally observed relaxation pathways of two heterodinuclear 3d-4f complexes.'

277. Bosch, S.; Comba, P.; Gahan, L. R.; Hanson, G. R.; Noble, C.; Schenk, G.; Wadepohl, H.  
*Chem. Eur. J.* **2015**, *21*, 18269-18279. DOI: [10.1002/chem.201503348](https://doi.org/10.1002/chem.201503348)  
'Selective coordination of gallium(III), zinc(II) and copper(II) by an asymmetric dinucleating ligand: a model for metallophosphatases.'
278. Comba, P.; Grosshauser, M.; Klingeler, R.; Koo, C.; Lan, Y.; Müller, D.; Park, J.; Powell, A. K.; Riley, M. J.; Wadepohl, H.  
*Inorg. Chem.* **2015**, *54*, 11247-11258. DOI: [10.1021/acs.inorgchem.5b01673](https://doi.org/10.1021/acs.inorgchem.5b01673)  
'Magnetic interactions in a series of homodinuclear lanthanide complexes.'
279. Glisic, B. D.; Senerovic, L.; Comba, P.; Wadepohl, H.; Veselinovic, A.; Milivojevic, D. R.; Djuran, M. I.; Nikodinovic-Runic, J.  
*J. Inorg. Biochem.* **2016**, *155*, 115-128. <https://doi.org/10.1016/j.jinorgbio.2015.11.026>  
'Silver(I) complexes with phthalazine and quinazoline as effective agents against pathogenic pseudomonas aeruginosa strains.'
280. Comba, P.; Eisenschmidt, A.; Kipper, N.; Schiessl, J.  
*J. Inorg. Biochem.* **2016**, *159*, 70-75. <https://doi.org/10.1016/j.jinorgbio.2016.02.014>  
'Glycosidase- and  $\beta$ -lactamase-like activity of dinuclear copper(II) patellamide complexes.'
281. Jayapaul, J.; Arns, S.; Bunker, M.; Weiler, M.; Rutherford, S.; Comba, P.; Kiessling, F.  
*Nano Research* **2016**, *9*, 1319-1333. DOI: [10.1007/s12274-016-1028-7](https://doi.org/10.1007/s12274-016-1028-7)  
'In vivo evaluation of riboflavin receptor targeted fluorescent USPIO in mice with prostate cancer xenografts.'
282. Massoud, S. S.; Ledet, C. C.; Bosch, S.; Comba, P.; Herchel, R.; Hosek, J.; Travnicek, Z.; Fischer, R. C.; Mautner, F. A.  
*Dalton Trans.* **2016**, *45*, 12933-12950. DOI: [10.1039/C6DT02596J](https://doi.org/10.1039/C6DT02596J)  
'Dinuclear metal(II)-acetato complexes based on bicompartamental 4-chlorophenolate: synthesis, structure, magnetic properties, DNA interaction and phosphodiester hydrolysis.'
283. Comba, P.; Fukuzumi, S.; Koke, C.; Löhr, A. M.; Straub, J.  
*Angew. Chem. Int. Ed.* **2016**, *55*, 11129-11133. DOI: [10.1002/ANIE.201605099](https://doi.org/10.1002/ANIE.201605099)  
'A bispidine iron(IV) oxo complex in the entatic state.'
284. Glisic, B. D.; Aleksic, I.; Comba, P.; Wadepohl, H.; Ilic-Tomic, T.; Nikodinovic-Runic, J.; Djuran, M. I.;  
*RSC Adv.* **2016**, *6*, 86695-86709. DOI: [10.1039/C6RA19902J](https://doi.org/10.1039/C6RA19902J)  
'Copper(II) complexes with aromatic nitrogen-containing heterocycles as effective inhibitors of quorum sensing activity in Pseudomonas aeruginosa.'
285. Bosch, S.; Comba, P.; Gahan, L. R.; Schenk, G.  
*J. Inorg. Biochem. (Graeme Hanson special issue)* **2016**, *162*, 343-355.  
<https://doi.org/10.1016/j.jinorgbio.2015.12.028>  
'Asymmetric mono- and dinuclear Ga<sup>III</sup> and Zn<sup>II</sup> complexes as models for purple acid phosphatases.'
286. Barman, P.; Faponle, A. S.; Vardhaman, A. K.; Angelone, D.; Löhr, A.-M.; Browne, W. R.; Comba, P.; Sastri, C. V.; de Visser, S. P.  
*Inorg. Chem.* **2016**, *55*, 10170-10181. DOI: [10.1021/acs.inorgchem.6b01384](https://doi.org/10.1021/acs.inorgchem.6b01384)  
'Influence of ligand architecture in tuning reaction bifurcation pathways for chlorite oxidation by nonheme iron complexes.'

287. Regimbald-Krnel, M. J.; Müller, D.; Comba, P.; Wentrup, C.  
*Angew. Chem. Int. Ed.* **2016**, *55*, 14600-14605. DOI: [10.1002/anie.201607415](https://doi.org/10.1002/anie.201607415)  
'Bis-dibenzo[*a,i*]fluorenylidene – A thermally populated, long-lived triplet diradical.'
288. Comba, P.; Eisenschmidt, A.; Gahan, L.; Hanson, G.; Mehrkens, N.; Westphal, M.  
*Dalton* **2016**, *45*, 18931-18945. DOI: [10.1039/C6DT03787A](https://doi.org/10.1039/C6DT03787A)  
'Dinuclear Zn<sup>II</sup> and mixed Cu<sup>II</sup>-Zn<sup>II</sup> complexes of artificial patellamides as phosphatase models.'
289. Comba, P.; Grimm, L.; Orvig, C.; Rück, K.; Wadepohl, H.  
*Inorg. Chem.* **2016**, *55*, 12531-12543. DOI: [10.1021/acs.inorgchem.6b01787](https://doi.org/10.1021/acs.inorgchem.6b01787)  
'Synthesis and coordination chemistry of new hexadentate picolinic acid-based bispidine ligands.'
290. Zeron, P.; Westphal, M.; Comba, P.; Flores-Alamo, M.; Stueckl, C.; Leal-Cervantes, C.; Ugalde-Saldivar, V. M.; Gasque, L.  
*Eur. J. Inorg. Chem.* **2017**, 56-62. DOI: [10.1002/ejic.201600967](https://doi.org/10.1002/ejic.201600967)  
'Dinuclear copper(II) complexes with distant metal centers: weaker donor groups increase catecholase activity.'
291. Comba, P.; Enders, M.; Grosshauser, M.; Hiller, M.; Müller, D.; Wadepohl, H.  
*Dalton* **2017**, *46*, 138-149. DOI: [10.1039/C6DT03488H](https://doi.org/10.1039/C6DT03488H)  
'Solution and solid state structures and magnetism of a series of linear trinuclear compounds with a hexacoordinate Ln<sup>III</sup> and two terminal Ni<sup>II</sup> centers.'
292. Jeremic, M.; Wadepohl, H.; Kojic, V. V.; Jakimov, D. S.; Jelic, R.; Popovic, S.; Matovic, Z. D.; Comba, P.  
*RSC Adv.* **2017**, *7*, 5282-5296. DOI: [10.1039/C6RA26199J](https://doi.org/10.1039/C6RA26199J)  
'Synthesis, structure analysis, solution equilibria and biological activity of rhodium(III) complexes with a quinquedentate polyaminopolycarboxylate.'
293. Pombo-Garcia, K.; Rühl, C.; Joshi, T.; Ang, C.-S.; Lam, R.; Scammels, P. J.; Comba, P.; Spiccia, L.; Graham, B.; Stephan, H.  
*ChemPlusChem.* **2017**, *82*, 638-646. DOI: [10.1002/cplu.201700052](https://doi.org/10.1002/cplu.201700052)  
'Zwitterionic modification of ultrasmall iron oxide nanoparticles for reduced corona formation.'
294. Comba, P.; Pokrandt, B.; Wadepohl, H.  
*Aust. J. Chem. (Len Lindoy special issue)* **2017**, *70*, 576-580. DOI: [10.1071/CH16674](https://doi.org/10.1071/CH16674)  
'Cobalt bispidine complexes: oxidation with dioxygen.'
295. Tsang, A. S.-K.; Hashmi, A. S. K.; Comba, P.; Kerscher, M.; Chan, B.; Todd, M. H.  
*Chem. Eur. J.* **2017**, *23*, 9313-9318. DOI: [10.1002/chem.201700430](https://doi.org/10.1002/chem.201700430)  
'N-Aryl groups are ubiquitous in cross-dehydrogenative couplings because they stabilize reactive intermediates.'
296. Benzing, K.; Comba, P.; Martin, B.; Pokrandt, B.; Keppler, F.  
*Chem. Eur. J.* **2017**, *23*, 10465-10472. DOI: [10.1002/chem.201701986](https://doi.org/10.1002/chem.201701986)  
'Nonheme iron-oxo-catalyzed methane formation from methionine: Scope, mechanism and relevance for natural systems.'

297. Comba, P.; Eisenschmidt, A.; Gahan, L. R.; Herten, D.-P., Nette, G.; Schenk, G.; Seefeld, M.  
*Chem. Eur. J. (Special Issue 150 Years German Chemical Society)* **2017**, *23*, 12264-12274. [DOI: 10.1002/chem.201700895](https://doi.org/10.1002/chem.201700895)  
'Is Cu<sup>II</sup> coordinated to patellamides inside *Prochloron* cells?'
298. Comba, P.; Eisenschmidt, A.  
*in "Future Directions in Metalloprotein and Metalloenzyme Research", Biological Magnetic Resonance, Vol 3, Hanson G., Berliner, L. Eds, Springer, Heidelberg, 2017*, 13-32. <http://www.springer.com/de/book/9783319590981>  
'Structures, electronics and reactivity of copper(II) complexes of the cyclic pseudo-peptides of the ascidians.'
299. Shimizu, I.; Morimoto, Y.; Abe, T.; Faltermeier, D.; Kerscher, M.; Paria, S.; Sugimoto, H.; Fujieda, N.; Asano, K.; Suzuki, T.; Comba, P.; Itoh, S.  
*Inorg. Chem.* **2017**, *56*, 9634-9645. [DOI: 10.1021/acs.inorgchem.7b01154](https://doi.org/10.1021/acs.inorgchem.7b01154)  
'Tetrahedral copper(II) complexes with a labile coordination site supported by a tris-tetramethylguanidinato ligand.'
300. Comba, P.; Jermilova, U.; Orvig, C.; Patrick, B. O.; Ramogida, C. F.; Rück, K.; Schneider, C.; Starke, M.  
*Chem. Eur. J.* **2017**, *23*, 15945-15956. [DOI:10.1002/chem.201702284](https://doi.org/10.1002/chem.201702284)  
'Octadentate picolinic acid based bispidine ligand for radiometal ions.'
301. Gallardo-Donaire, J.; Hermsen, M.; Wysocki, J.; Ernst, M.; Rominger, F.; Trapp, O.; Hashmi, A. S. K.; Schäfer, A.; Comba, P.; Schaub, T.  
*J. Am. Chem. Soc.* **2018**, *140*, 355-361. [DOI: 10.1021/jacs.7b10496](https://doi.org/10.1021/jacs.7b10496)  
'Direct asymmetric ruthenium-catalyzed reductive amination of alkyl-aryl ketones with ammonia and hydrogen.'
302. Xie, S.; Savchenko, A. I.; Kerscher, M.; Grange, R. L.; Krenske, E. H.; Harmer, J. R.; Bauer, M. J.; Broit, N.; Watters, D. J.; Boyle, G. M.; Bernhardt, P. V.; Parsons, P. G.; Comba, P.; Gahan, L. R.; Williams, C. M.  
*Eur. J. Org. Chem.* **2018**, 1465-1476.  
'Heteroatom interchanged isomers of lissoclinamide 5: Copper(II) complexation, halide binding and biological activity.'
303. Comba, P.; Daumann, L. J.; Klingeler, R.; Koo, C.; Riley, M. J.; Roberts, A. E.; Wadepohl, H.; Werner, J.  
*Chem. Eur. J. (Special Issue ECOSTBio)* **2018**, *24*, 5319-5330.  
[DOI: 10.1002/chem.201704822](https://doi.org/10.1002/chem.201704822)  
'Correlation of structural and magnetic properties in a set of mononuclear lanthanide complexes.'
304. Comba, P.; Kerscher, M.; Rück, K.; Starke, M.  
*Dalton (Perspective)* **2018**, *47*, 9202-9220. [DOI: 10.1039/C8DT01108G](https://doi.org/10.1039/C8DT01108G)  
'Bispidines for radiopharmaceuticals.'
305. Comba, P.; Jakob, M.; Rück, K.; Wadepohl, H.  
*Inorg. Chim. Acta (Special Issue on Bioinorganic and Bioinspired Chemistry of Copper)* **2018**, *481*, 98-105. <https://doi.org/10.1016/j.ica.2017.08.022>  
'Tuning of the properties of a picolinic acid-based bispidine ligand for stable copper(II) complexation.'

306. Comba, P.; Starke, M.; Wadepohl, H.  
*ChemPlusChem (Leone Spiccia Special Issue)* **2018**, *83*, 597-604.  
<https://doi.org/10.1002/cplu.201800110>  
'Optimization of hexadentate bispidine ligands as chelators for  $^{64}\text{Cu}^{\text{II}}$  PET imaging.'
307. Hamann, J. N.; Hermsen, M.; Schmidt, A.-C.; Krieg, S.; Schiessl, J.; Riedel, D.; Teles, J. H.; Schäfer, A.; Comba, P.; Hashmi, A. S. K.; Schaub, T.  
*ChemCatChem* **2018**, *10*, 2755-2767. DOI:10.1002/cctc.201701909  
'Selective decomposition of cyclohexyl hydroperoxide using homogeneous and heterogeneous Cr(VI) catalysts. Optimizing the reaction by evaluating the reaction mechanism.'
308. Comba, P.; Faltermeier, D.; Gieger, S.; Keppler, F.; Schöler H. F.; Schroll, M.  
*J. Coord. Chem. (Dan Meyerstein Special Issue)* **2018**, *71*, 1704-1714.  
<https://doi.org/10.1080/00958972.2018.1490414>  
'Iron catalyzed demethylation of acetic acid.'
309. Horn, A. Jr.; Engler, D.; Roberts, A. E.; Comba, P.; Schenk, G.; Krenske, E. H.; Gahan, L. R.  
*Front. Chem.* **2018**, *6*, 441/1-14. DOI: 10.3389/fchem.2018.00441  
'Synthesis, magnetic properties and phosphoesterase activity of dinuclear nickel(II) and cobalt(II) complexes.'
310. Costa, R. D.; Ferreira, S. D.; Pereira, C. A.; Harmer, J.; Noble, C.; Schenk, G.; Franco, R. W.; Resende, J. A.; Comba, P.; Roberts, A.; Fernandes, C.; Horn Jr., A.  
*Front. Chem.* **2018**, *6*, 491/1-18. DOI: 10.3389/fchem.2018.00491  
'A new mixed-valence Mn(II)Mn(III) compound with catalase and superoxide dismutase activities.'
311. Rakshit, A.; Khatua, K.; Comba, P.; Shanbhag, V.; Petris, M. J.; Datta, A.  
*Chem. Sci.* **2018**, *9*, 7916-7930. DOI: 10.1039/C8SC04041A  
'Cu $^{2+}$  selective chelators relieve copper-induced oxidative stress in vivo.'
312. Braun, F.; Comba, P.; Grimm, L.; Herten, D.-P.; Pokrandt, B.; Wadepohl, H.  
*Inorg. Chim. Acta (Special Issue Rabindranath Mukherjee)* **2019**, *484*, 464-468.  
<https://www.sciencedirect.com/science/article/pii/S0020169318312593?via%3Dihub>  
'Ligand-sensitized lanthanide(III) luminescence with octadentate bispidines.'
313. Mehlich, F.; Roberts, A.; Kerscher, M.; Comba, P.; Lawrance, G. A.; Würtele C.; Becker, J.; Schindler, S.  
*Inorg. Chim. Acta (Special Issue Rabindranath Mukherjee)* **2019**, *486*, 742-749.  
[doi.org/10.1016/j.ica.2018.11.032](https://doi.org/10.1016/j.ica.2018.11.032)  
'Synthesis and characterization of copper complexes with a series of tripodal amine ligands.'
314. Comba, P.; Martin, B.  
*Adv. Inorg. Chem.* **2019**, *73*, 305-322. [doi.org/10.1016/bs.adioch.2018.11.001](https://doi.org/10.1016/bs.adioch.2018.11.001)  
'Molecular modeling of transition metal and rare earth coordination compounds.'
315. Choudhary, N.; Dimmling, A.; Wang, X.; Southcott, L.; Radchenko, V.; Patrick, B. O.; Comba, P.; Orvig, C.  
*Inorg. Chem.* **2019**, *58*, 8685-8693. DOI:10.1021/acs.inorgchem.9b01016  
'Octadentate oxine-armed bispidine ligand for radiopharmaceutical chemistry.'

316. Anandababu, K.; Ramasubramanian, R.; Wadepohl, H.; Comba, P.; Britto, N. J.; Jaccob, M.; Mayilmurugan, R.  
*Chem. Eur. J.* **2019**, *25*, 9540-9547. DOI: [10.1002/chem.201901005](https://doi.org/10.1002/chem.201901005)  
'A structural and functional model for the tris-histidine motif in cysteine dioxygenase.'
317. Shimizu, I.; Morimoto, Y.; Velmurugan, G.; Gupta, T.; Paria, S.; Ohta, T.; Sugimoto, H.; Fujieda, N.; Ogura, T.; Comba, P.; Itoh, S.  
*Chem. Eur. J.* **2019**, *25*, 11157-11165.  
<https://onlinelibrary.wiley.com/doi/abs/10.1002/chem.201902669>  
'Characterization and reactivity of a tetrahedral copper(II) alkylperoxido complex.'
318. Singh, G.; Zarschler, K.; Hunoldt, S.; Santana Martinez, I. I.; Rühl, C.; Matterna, M.; Bergmann, R.; Mathe, D.; Hegedüs, N.; Bachmann, M.; Comba, P.; Stephan, H.  
*Chem. Eur. J.* **2020**, *26*, 1989-2001. <https://doi.org/10.1002/chem.201905783>  
'Versatile bispidine-based bifunctional chelators for <sup>64</sup>Cu-labelling of biomolecules.'
319. Comba, P.; Faltermeier, D.; Krieg, S.; Martin, B.; Rajaraman, G.  
*Dalton* **2020**, *49*, 2888-2894. DOI: [10.1039/C9DT04578C](https://doi.org/10.1039/C9DT04578C)  
'Spin state of iron(IV)oxido complexes with tetradentate bispidine ligands.'
320. Sabater, S.; Menche, M.; Ghosh, T.; Krieg, S.; Rück, K. S. L.; Paciello, R.; Schäfer, A.; Comba, P.; Hashmi, A. S. K. Schaub, T.  
*Organometallics* **2020**, *39*, 870-880. <https://doi.org/10.1021/acs.organomet.0c00082>  
'Mechanistic Investigation of the nickel-catalyzed carbonylation of alcohols.'
321. Tindall, D. J.; Menche, M.; Schelwies, M.; Paciello, R. A.; Schäfer, A.; Comba, P.; Rominger, F.; Hashmi, A. S. K.; Schaub, T.  
*Inorg. Chem.* **2020**, *59*, 5099-5115.  
<https://pubs.acs.org/doi/abs/10.1021/acs.inorgchem.0c00337>  
'Ru<sup>0</sup> or Ru<sup>II</sup> – a study on stabilizing the 'activated' form or Ru-PNP complexes with additional phosphine ligands in the alcohol dehydrogenation and ester hydrogenation.'
322. Comba, P.; Löhr, A.-M.; Pfaff, F.; Ray, K.  
*Isr. J. Chem. (Metal-oxido Special Issue)* **2020**, *60*, 957-962.  
<https://doi.org/10.1002/ijch.202000038>  
'Redox potentials of high-valent iron-, cobalt-, and nickel-oxido complexes: evidence for exchange enhanced reactivity.'
323. Bruchertseifer, F.; Comba, P.; Martin, B.; Morgenstern, A.; Notni, J.; Starke, M.; Wadepohl, H.  
*ChemMedChem.* **2020**, *15*, 1591-1600. <https://doi.org/10.1002/cmdc.202000361>  
'First generation bispidine chelators for <sup>213</sup>Bi<sup>III</sup> radiopharmaceutical applications.'
324. Comba, P.; Faltermeier, D.; Martin, B.  
*Z. Anorg. Allg. Chem. (Special Issue for H. W. Roesky)* **2020**, *646*, 1839-1845.  
<http://dx.doi.org/10.1002/zaac.202000355>  
'Computational approach for redox potentials of iron(IV)-oxido complexes.'
325. De Boer, J. W.; Maaijen, K.; Roelofsen, Y. P. A.; Hage, R.; Comba, P.  
*Patent WO 2020/008205 A1 (9-1-2020) 19737195.8 - 1107*  
'Oxidatively curable coating composition.'

326. Benk, A. S.; Schenk, F.; Wegner, S.; Comba, P.; Spatz, J. P.  
*Patent WO (2020/254539 A1); PCT/EP2020/066046; PCT/EP2020/066047*  
'Site-specific, quasi-covalent conjugation of his-tagged proteins via [Co<sup>III</sup>(NTA)(CO<sub>3</sub>)] reagents.'
327. Comba, P.  
*Comprehensive Coordination Chemistry III; Constable, E. C.; Parkin, G.; Que Jr., L., Eds., Vol. 2, Elsevier, 2021, 241-255. <https://dx.doi.org/10.1016/B978-0-08-102688-5.00023-4>*  
'Computational coordination chemistry.'
328. Witzel, S.; Hoffmann, M.; Rudolph, M.; Kerscher, M.; Comba, P.; Dreuw, A.; Hashmi, A. S. K.  
*Cell Rep. Phys. Sci.* **2021**, 2, 100325. <https://doi.org/10.1016/j.xcrp.2021.100325>  
'Excitation of arylcations: key to catalyst-free radical arylations.'
329. Wang, T.; Hoffmann, M.; Dreuw, A.; Hasagic, E.; Hu, C.; Stein, P. M.; Witzel, S.; Shi, H.; Yang, Y.; Rudolph, M.; Stuck, F.; Rominger, F.; Kerscher, M.; Comba, P.; Hashmi, A. S. K. *Adv. Synth. Catal.* **2021**, 363, 2783-2795.  
<https://doi.org/10.1002/adsc.202100236>  
'A metal-free direct arene C-H amination.'
330. Cieslik, P.; Comba, P., Kubeil, M. ; Stephan, H.  
*Patent EP20216739.1 (22-12-2020) 20216739.1 - 1109*  
'Bispidine derivatives and the use thereof.'
331. Cieslik, P.; Comba, P.; Hergett, W.; Klingeler, R.; Plny, G. F. P.; Spilleke, L.; Velmurugan G.  
*Z. Anorg. Allg. Chem. (Special Issue for P. Klüfers)* **2021**, 647, 843-849.  
<https://doi.org/10.1002/zaac.202000475>  
'Molecular magnetic properties of a dysprosium(III) complex coordinated to a nonadentate bispidine ligand.'
332. Comba, P.; Enders, M.; Grosshauser, M.; Hiller, M.; Klingeler, R.; Koo, C.; Müller, D.; Rajaraman, G.; Swain, A.; Tavhelidse, M.; Wadepohl, H.  
*Chem. Eur. J.* **2021**, 27, 9372-9382. <http://dx.doi.org/10.1002/chem.202100626>  
'Validation of ab-initio-predicted magnetic anisotropies and magneto-structural correlation in linear hetero-trinuclear Dy<sup>III</sup>-Ni<sup>II</sup><sub>2</sub> compounds.'
333. Abad-Galan, L.; Cieslik, P.; Comba, P.; Gast, M.; Maury, O.; Neupert, L.; Roux-Gossart, A.; Wadepohl, H.  
*Chem. Eur. J.* **2021**, 27, 10303-10312. <https://doi.org/10.1002/chem.202005459>  
'Excited state properties of lanthanide(III) complexes with a nonadentate bispidine ligand.'
334. Abu-Odeh, M.; Bleher, K.; Britto, N. J.; Comba, P.; Gast, M.; Jaccob, M.; Kerscher, M.; Krieg, S.; Kurth, M.  
*Chem. Eur. J.* **2021**, 27, 11377-11390. <http://dx.doi.org/10.1002/chem.202101045>.  
'Pathways of the extremely reactive iron(IV)-oxido complexes with tetradentate bispidine ligands.'
335. Comba, P.  
*Ruperto Carola Forschungszeitschrift "Spalten und Verbinden"* **2021**, 18, 108-115.  
'Spalten und verbinden – das Handwerk der Chemiker.'

336. Sitte, N. A.; Menche, M.; Tuzina, P.; Bienewald, F.; Schäfer, A.; Comba, P.; Rominger, F.; Hashmi A. S. K.; Schaub, T.  
*J. Org. Chem.* **2021**, *86*, 13041-13055. <https://doi.org/10.1021/acs.joc.1c01807>  
'Phosphine-catalyzed vinylation at low acetylene pressure.'
337. Sahoo, S.; Velmurugan, G.; Comba, P.; Rath, H.  
*Org. Chem. Front.* **2021**, *8*, 6909-6915. <https://doi.org/10.1039/d1qo01247a>  
'Macrocyclic aromaticity (antiaromaticity) with NIR absorption in vinylogous carbaporphyrinoids (3.3.1.0.1) via a dipolar hydrocarbon.'
338. Bleher, K.; Comba, P.; Faltermeier, D; Gupta, A.; Kerscher, M.; Krieg, S.; Martin, B.; Velmurugan, G.; Yang, S.  
*Chem. Eur. J.*, **2022**, e202103452. <http://dx.doi.org/10.1002/chem.202103452>  
'Non-heme-iron-catalyzed selective halogenation of unactivated carbon-hydrogen bonds.'
339. Bleher, K.; Comba, P.; Gast, M.; Kronenberger, S.; Josephy, T.  
*Inorg. Chim. Acta (Special Issue for M. Palanandiavar)*, **2022**, *532*, 120752.  
<https://doi.org/10.1016/j.ica.2021.120752>  
'Copper-bispidine catalyzed aziridination – a new twist in small molecule activation.'
340. Cieslik, P.; Comba, P.; Ndiaye, D., Toth, E.; Velmurugan, G.; Wadepohl, H.  
*Angew. Chem. Int. Ed.*, **2022**, e202115580. <https://doi.org/10.1002/anie.202115580>  
'Exceptional manganese(II) stability and manganese(II) / zinc(II) selectivity with rigid polydentate ligands.'
341. Baur, P.; Köhl, M.; Comba, P.; Behrendt, L.  
*Marine Drugs*, **2022**, *20*, 119 <https://www.mdpi.com/1660-3397/20/2/119/pdf>  
'Possible functional roles of patellamides in the ascidian-Prochloron symbiosis.'
342. Comba, P.; Nunn, G.; Scherz, F.; Walton P. H.  
*Faraday Discussion*, **2022**, *234*, 232-244. <https://doi.org/10.1039/D1FD00073J>  
'Intermediate-spin iron(IV)-oxido species with record reactivity.'
343. Comba, P. et al.  
*Faraday Discussion*, **2022**, *234*, 129-142.  
'Small molecule activation and synthetic analogues: general discussion.'  
<https://doi.org/10.1039/d2fd90012b>
344. Comba, P. et al.  
*Faraday Discussion*, **2022**, *234*, 245-263.  
'Electron transfer, spectroscopy and theory: general discussion.'  
<https://doi.org/10.1039/d2fd90013k>
345. Comba, P. et al.  
*Faraday Discussion*, **2022**, *234*, 367-387.  
'Natural and artificial enzymes and medicinal aspects: general discussion.'  
<https://doi.org/10.1039/d2fd90014a>
346. Baur, P.; Comba, P.; Velmurugan, G.  
*Chem. Eur. J.*, **2022**, e202200249. <http://dx.doi.org/10.1002/chem.202200249>  
'Efficient synthesis for a wide variety of patellamide derivatives and phosphatase activity of copper-patellamide complexes.'



347. Comba, P.; Rajaraman, G.; Sarkar, A.; Velmurugan, G.  
*Dalton Trans.*, **2022**, 51, 5175-5183. <https://doi.org/10.1039/D1DT03903B>  
'What controls the magnetic anisotropy in heptacoordinate high-spin cobalt(II) complexes? A theoretical perspective.'
348. Lippi, M.; Wadepohl, H.; Comba, P.; Cametti, M.  
*Eur. J. Inorg. Chem.*, **2022**, e202200221. <https://doi.org/10.1002/ejic.202200221>  
'A bispidine based Cu<sup>II</sup> / Zn<sup>II</sup> heterobimetallic coordination polymer.'
349. Lichtenberger, N.; Menche, M.; Rück, K. S. L.; Paciello, R. A.; Schäfer, A.; Comba, P.; Hashmi, A. S. K.; Schaub, T.  
*Organometallics*, **2022**, 41, 1184-1196. <https://doi.org/10.1021/acs.organomet.2c00090>  
'Revisiting nickel-catalyzed carbonylations: (Unexpected) observation of substrate-dependent mechanistic differences.'
350. Bleher, K.; Comba, P.; Gross, J.; Josephy, T.  
*Dalton Trans. (Perspective)*, **2022**, 51, 8625-8639.  
<https://doi.org/10.1039/D2DT00809b>  
'ESI and tandem MS for mechanistic studies of high-valent metal complexes.'
351. Menche, M.; Klein, P.; Hermsen, M.; Konrath, R.; Ghosh, T.; Wysocki, J.; Ernst, M.; Hashmi, A. S. K.; Schäfer, A.; Comba, P.; Schaub, T.  
*ChemCatChem*, **2022**, e202200543. <https://doi.org/10.1002/cctc.202200543>  
'Ligand backbone influence on the enantioselectivity in the ruthenium-catalyzed direct asymmetric reductive amination of ketones with NH<sub>3</sub> and H<sub>2</sub> using binaphthyl-substituted phosphines.'
352. Cieslik, P.; Kubeil, M.; Zarschler, K.; Ullrich, M.; Brandt, F.; Anger, K.; Wadepohl, H.; Kopka, K.; Bachmann, M.; Pietzsch, J.; Stephan, H.; Comba, P.  
*J. Am. Chem. Soc.*, **2022**, 144, 21555-21567. <https://doi.org/10.1021/jacs.2c08438>  
'Toward personalized medicine: one chelator for imaging and therapy with lutetium-177 and actinium-225.'
353. Ndiaye, D.; Cieslik, P.; Wadepohl, H.; Pallier, A.; Meme, S.; Comba, P.; Toth, E.  
*J. Am. Chem. Soc.*, **2022**, 144, 22212-22220.  
<https://pubs.acs.org/doi/10.1021/jacs.2c10108>  
'Mn<sup>2+</sup> bispidine complex combining exceptional stability, inertness and MRI efficiency.'
354. Baur, P.; Comba, P.; Gahan, L. R.; Scholz, C.  
*Aust. J. Chem.*, **2022**, 76, 44-48. <https://doi.org/10.1071/CH22200>  
'The ascidian *Lissoclinum Patella*, the patellamides and copper.'
355. Pham, T. L.; Fazliev, S.; Baur, P.; Comba, P.; Thomas, F.  
*ChemBioChem*, **2022**, e202200588. <https://doi.org/10.1002/cbic.202200588>  
'An engineered  $\beta$ -hairpin peptide forming thermostable complexes with Zn(II), Ni(II) and Cu(II) through a His<sub>3</sub> site.'
356. Britto, N. J.; Jaccob, M.; Comba, P.; Mayilmurugan, R.; Anandababu, K.  
*J. Inorg. Biochem. (Ademir Neves Special Issue)*, **2023**, 238, 112066.  
<https://doi.org/10.1016/j.jinorgbio.2022.112066>  
'DFT insights into the mechanism of O<sub>2</sub> activation catalyzed by a structural and functional model of cysteine dioxygenase with tris(2-pyridyl)methane-based ligand architecture.'

357. Bleher, K.; Comba, P.; Kass, D.; Ray, K., Wadepohl, H.  
*J. Inorg. Biochem. (Ademir Neves Special Issue)*, **2023**, *241*, 112123.  
<https://doi.org/10.1016/j.jinorgbio.2023.112123>  
'Reactivities of iron(IV)-oxido compounds with pentadentate bispidine ligands.'
358. Guo, P.; Singer, L.; Zhao, Z; Kukulka, W.; Sebastian, F; Mijowska, E; Zharnikov, M.; Comba, P.; Klingeler, R.  
*Electrochim. Acta*, **2023**, *459*, 142540. <https://doi.org/10.1016/j.electacta.2023.142540>  
'A facile method for preparation of carbon-coated metal oxides and sulfides for high-performance lithium storage.'
359. Kopp, I.; Cieslik, P.; Anger, K.; Josephy, T.; Neupert, L.; Gast, M.; Wadepohl, H.; Kopka, K.; Bachmann, M.; Stephan, H.; Kubeil, M; Comba, P.  
*Inorg. Chem.*, **2023**, *published*. <https://doi.org/10.1021/acs.inorgchem.3c02340>  
'Bispidine chelators for radiopharmaceutical applications with lanthanide, actinide and main group metal ions.'
360. Sahoo, S.; Velmurugan, G.; Comba, P.; Rath, H.  
*Org. Chem. Front.*, **2023**, *10*, 5601-5609. doi: [10.1039/D3QO01131C](https://doi.org/10.1039/D3QO01131C)  
'meso-meso 1,3-bis(E-vinyl)azulene bridged tetrathiaoctaphyrins: synthesis, spectroscopic and theoretical characterization.'
361. Hädeler, J.; Velmurugan, G.; Lauer, R.; Radhamani, R; Keppler, F.; Comba, P.  
*J. Am. Chem. Soc.*, **2023**, *145*, *published*. <https://doi.org/10.1021/jacs.3c06709>  
'Natural abiotic iron-oxido-mediated formation of C<sub>1</sub> and C<sub>2</sub> compounds from environmentally important methyl-substituted substrates.'
362. Kumar, R.; Ansari, A.; Comba, P.; Rajaraman, G.  
*Chem. Eur. J.*, **2023**, e202303300 <http://dx.doi.org/10.1002/chem.202303300>  
'Rebound or cage escape? The role of the rebound barrier for the reactivity of non-heme high-valent Fe<sup>IV</sup>=O species.'
363. Mukherjee, G.; Velmurugan, G.; Kerscher, M.; Satpathy, J. K.; Sastri, C. V.; Comba, P.  
*Chem. Eur. J.*, **2023**, e202303300 <http://dx.doi.org/10.1002/chem.202303300>  
'Mechanistic insights into amphoteric reactivity of an iron-bispidine complex.'